



ARISTON

COOLING FS & BI 2019
Iraq

Marketing Book



LINE-UP - Freestanding

RANGE LINE-UP - FS Cabinet SD Refrigerator - North Africa / Levant



BEST

H. 1.87
Net 363L



- **SH8 2D XROFD**
- **F096333**
- Optic Inox
- Fast Cooling
- Automatic Defrost
- Electronic Control
- Antibacterial Filter / Hygiene +
- 220-240V, 50Hz
- Schuko Plug
- Turkey

BETTER

H. 1.87
Net 363L



- **SH8 1Q XRFD**
F096256 (Optic Inox)
- **SH8 1Q WRFD**
F096328 (Global White)
- Fast Cooling
- Automatic Defrost
- Electronic Control
- 220-240V, 50Hz,
- Schuko Plug
- Turkey

GOOD

H. 1.67
Net 321L



- **ZHS6 1Q XRD**
- **F096485**
- Optic Inox
- Fast Cooling
- Automatic Defrost
- Antibacterial Filter / Hygiene +
- 220-240V, 50Hz
- Schuko Plug
- Turkey

RANGE LINE-UP - FS Upright Freezer - North Africa / Levant



BEST

H. 1.87
Net 260L



- **UH8 F2D XI**
- **F096403**
- Optic Inox
- Fast Freezing
- Frost Free Defrost
- 220-240V, 50Hz
- Schuko Plug
- Turkey

BETTER

H. 1.87
Net 260L



- **UA8 F1C W EX**
- **F096396 (Schuko Plug)**
- Fast Freezing
- Frost Free Defrost
- 220-240V, 50Hz
- Turkey



- **UH8 F1C W**
- **F096391**
- Global White
- Fast Freezing
- Frost Free Defrost
- 220-240V, 50Hz
- Schuko Plug
- Turkey



- **UA8 F1C X**
- **F096398 (Schuko Plug)**
- Fast Freezing
- Frost Free Defrost
- 220-240V, 50Hz
- Turkey



- **UH8 F1C X**
- **F096392**
- Optic Inox
- Fast Freezing
- Frost Free Defrost
- 220-240V, 50Hz
- Schuko Plug
- Turkey

GOOD

H. 1.67
Net 222L



- **UH6 1T W.1**
- **F105702**
- Global White
- Fast Freezing
- Manual Defrost
- Net Capacity 232L
- 220-240V, 50Hz
- Schuko Plug
- Turkey



- **UH6 F1C W**
- **F096386 (Global White)**
- **UH6 F1C X**
- **F096387 (Optic Inox)**
- Fast Freezing
- Frost Free Defrost
- 220-240V, 50Hz
- Schuko Plug
- Turkey

RANGE LINE-UP - FS Chest Freezer



BEST

Net 454L



- **AR600T**
- **F103853**
- Net Capacity 454L
- Space Max
- Mechanic control
- Manual Defrost
- H916 X W1405 X D698 (mm)
- 220-240V, 50Hz, UK Plug
- Italy

BETTER

Net 311L



- **CS 300 (EX)**
- **F156398**
- Net Capacity 311L
- Space Max
- Mechanic control
- Manual Defrost
- H916 X W1180 X D698 (mm)
- 220-240V, 50Hz, Schuko Plug
- Italy



- **AR420T**
- **F103852**
- Net Capacity 311L
- Mechanic control
- Manual Defrost
- H916 X W1180 X D698 (mm)
- 220-240V, 50Hz,
- UK Plug
- Italy



- **CS1A 300 H TK**
- **F105507**
- Net Capacity 311L
- Space Max
- Electronic control
- Manual Defrost
- H916 X W1180 X D698 (mm)
- 220-240V, 50Hz, Schuko Plug
- Italy

GOOD

Net ~251L



- **CS1A 200 H**
- **F156413**
- Net Capacity 204L
- Space+
- Electronic control
- Manual Defrost
- H865 X W806 X D642 (mm)
- 220-240V, 50Hz, Schuko Plug
- Italy



- **CS 250 (EX)**
- **F156397**
- Net Capacity 251L
- Space Max
- Mechanic control
- Manual Defrost
- H916 X W1010 X D698 (mm)
- 220-240V, 50Hz, Schuko Plug
- Italy



- **AR340T**
- **F103851**
- Net Capacity 251L
- Mechanic control
- Manual Defrost
- H916 X W1010 X D698 (mm)
- 220-240V, 50Hz
- UK Plug
- Italy

RANGE LINE-UP - FS Top Mount Refrigerator - GCC



BEST

*H ?
Net ?L*



- **A84TE 52I X EX F156705 (Inox)**
- **A84TE 52I W EX F156706 (White)**
- Net Capacity ?L
- Electronic Control
- H X W X D (mm)
- UK Plug
- Turkey

BETTER

*H 1.8
Net 342L*



- **ENTM 18010 F (GCC)**
- **F153472**
- Net Capacity 342L
- Mechanic control
- Frost Free
- H1805 X W700 X D675 (mm)
- 220-240V, 50Hz
- UK Plug
- Turkey



- **ENTM 18020 F (GCC)**
- **F153425**
- Net Capacity 342L
- Mechanic control
- Frost Free
- H1805 X W700 X D675 (mm)
- 220-240V, 50Hz
- UK Plug
- Turkey

GOOD

*H 1.8
Net 342L*



- **ENTM 18010 V (EX)**
- **F078435**
- Net Capacity 415L
- Mechanic control
- Manual Defrost
- H1805 X W700 X D665 (mm)
- 220-240V, 50Hz
- UK Plug
- Turkey



- **ENTM 18020 V (EX)**
- **F080371**
- Net Capacity 415L
- Mechanic control
- Manual Defrost
- H1805 X W700 X D665 (mm)
- 220-240V, 50Hz
- UK Plug
- Turkey

RANGE LINE-UP - FS Top Mount Refrigerator - North Africa



BEST

H 1.9
Net 456L



- ENXTYH 19322 FWL
- F085134
- Net Capacity 456L
- Electronic control
- Frost Free
- H1905 X W700 X D765
- 220-240V, 50Hz
- Schuko Plug
- Turkey



- A84TE 51 XO3 EX
- F156687 (Inox)
- F156685 (White)
- Net Capacity ?L
- Electronic control
- H X W X D (mm)
- Schuko Plug
- Turkey

BETTER

H 1.8
Net 423L



- ENXTM 1821 F
- F085140
- Net Capacity 423L
- Mechanic control
- Frost Free
- H1800 X W700 X D725 (mm)
- 220-240V, 50Hz
- Schuko Plug
- Turkey



- ENXTM 18221 F
- F085142
- Net Capacity 423L
- Mechanic control
- Frost Free
- H1800 X W700 X D725
- 220-240V, 50Hz,
- Schuko Plug, Turkey

GOOD

H 1.8~1.9
Net ~385L



- ENTM 18020 F (EX)
- F078432
- Net Capacity 342L
- Mechanic control
- Frost Free
- H1805 X W700 X D675 (mm)
- 220-240V, 50Hz
- Schuko Plug
- Turkey



- ENTM 19020 F (EX)
- F078427
- Net Capacity 385L
- Mechanic control
- Frost Free
- H1905 X W700 X D685 (mm)
- 220-240V, 50Hz
- Schuko Plug
- Turkey

RANGE LINE-UP - FS Bottom Mount Refrigerator



BEST

BETTER

GOOD

H 1.955
Net 450L ~



- **ENBLH 19122 F T (EX)**
- **F078403**
- Net Capacity 470L
- Electronic control
- Frost Free
- H1955 X W700 X D755 (mm)
- 220-240V, 50Hz
- Schuko Plug
- Turkey



- **ENBLH 19221 FW**
- **F077968**
- Net Capacity 450L
- Electronic control
- Frost Free
- H1955 X W700 X D755 (mm)
- 220-240V, 50Hz
- Schuko Plug
- Turkey



- **XA8 T11 XH**
- **F154119 (Inox)**
- **F154099 (White)**
- Net Capacity 338L
- Electronic control
- Frost Free
- H1890 X W601 X D729 (mm)
- 220-240V, 50Hz
- Schuko Plug
- Poland

H 1.89
Net 338L

RANGE LINE-UP - FS 4Doors Side by Side Refrigerator



BEST

H 1.874
Net 591L



- ARQ9 B1L
- F157107 (UK Plug)
- AQ5DI24 JVS
- F157108 (Schuko Plug)
- Net Capacity 591L
- Electronic control
- Frost Free
- H1874 X W909 X D698 (mm)
- 220-240V, 50Hz
- China

BETTER

GOOD



PRODUCT
SPECIFICATIONS

PRODUCT DETAILS	
Commercial code	SH8 1Q XRFD
F0 code	F096256
12NC	859990962560
EAN code	8007842962567



OTHER FEATURES	
IFU Language	N/A
Product dimensions HxWxD (mm)	1875 X 595 X 630
Packed dimension HxWxD (mm)	1940 X 640 X 725
Gross Weight (kg)	64
Net Weight (kg)	62
Source	Turkey

MAIN FEATURES	
Energy efficiency class	A+
Total gross capacity (l)	371 L
Total net capacity (l)	363 L
Main colour of product	Optic Inox
Fast cooling possibility	Yes
Food Care Zone	No
Vacation mode	No
Type of control	Electronic
Controls Position	Internal
User Interface	
Presence of display	No
Type of control settings	LED
Door reversibility	Yes
Warning signal / Malfunction	Visual
Defrost process	Automatic
Multiflow system	No
Number of shelves	4
Material of the shelves	Glass
Number of Fridge Adjustable Balconies	5
Bottle rack	Yes
Number of crisper drawers	1
Interior Light	Yes
Antibacterial Filter / Hygiene +	No
Adjustable feet	Yes - front only

TECHNICAL FEATURES	
Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	Automatic
Energy consumption (kWh)	0.397 kWh
Energy consumption per year (kW/y)	145 kWh
Noise (dBA)	38
Storage Period in Event of Power Failure (h)	N/A
Cable length (cm)	200
ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Electrical connection rating (W)	100 W
Plug Type	Schuko



Freestanding
Cabinet
Refrigerator

PRODUCT DETAILS	
Commercial code	SH8 1Q WRFD
F0 code	F096328
12NC	859990963280
EAN code	8007842963281



OTHER FEATURES	
IFU Language	N/A
Product dimensions HxWxD (mm)	1875 X 595 X 630
Packed dimension HxWxD (mm)	1940 X 640 X 725
Gross Weight (kg)	64
Net Weight (kg)	62
Source	Turkey

MAIN FEATURES	
Energy efficiency class	A+
Total gross capacity (l)	371 L
Total net capacity (l)	363 L
Main colour of product	Global white
Fast cooling possibility	Yes
Food Care Zone	No
Vacation mode	No
Type of control	Electronic
Controls Position	Internal
User Interface	
Presence of display	No
Type of control settings	LED
Door reversibility	Yes
Warning signal / Malfunction	Visual
Defrost process	Automatic
Multiflow system	No
Number of shelves	4
Material of the shelves	Glass
Number of Fridge Adjustable Balconies	5
Bottle rack	Yes
Number of crisper drawers	1
Interior Light	Yes
Antibacterial Filter / Hygiene +	No
Adjustable feet	Yes - front only

TECHNICAL FEATURES	
Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	Automatic
Energy consumption (kWh)	0.397 kWh
Energy consumption per year (kW/y)	145 kWh
Noise (dBA)	38
Storage Period in Event of Power Failure (h)	N/A
Cable length (cm)	200
ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Electrical connection rating (W)	100 W
Plug Type	Schuko



Freestanding
Cabinet
Refrigerator



PRODUCT SPECIFICATIONS
Freestanding Upright Freezer

PRODUCT DETAILS	
Commercial code	UH8 F1C X
F0 code	F096392
12NC	859990963920
EAN code	8007842963922



OTHER FEATURES	
IFU Language	N/A
Product dimensions HxWxD (mm)	1875 X 595 X 630
Packed dimension HxWxD (mm)	1940 X 640 X 725
Gross Weight (kg)	71
Net Weight (kg)	69
Source	Turkey

MAIN FEATURES	
Energy efficiency class	A+
Total gross capacity (l)	291 L
Total net capacity (l)	260 L
Main colour of product	Optic Inox
Fast freezing function	Yes
Super freezing option	N/A
Fast freezing light	
Type of control	Electronic
Defrost process	Frost-free
Condenser type	External
Number of drawers/baskets	4
Interior light	No
Temperature adjustable	Yes
Acoustic alarm	Yes
Warning signal / Malfunction	Both visual and audible
Memory alarm warning temperature	Yes
Lockable door	No
Adjustable feet	Yes - front only

TECHNICAL FEATURES	
Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.86 kWh
Energy consumption per year (kW/y)	314 kWh
Noise (dBA)	41
Freezing capacity (kg/24h)	26 KG
Storage Period in Event of Power Failure (h)	24
Insulation type	Super
Cable Length (cm)	245
Number of feet	2
Number of Fixed Rollers	2

ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Electrical connection rating (W)	150 W
Plug Type	Schuko



Freestanding
Upright Freezer

PRODUCT DETAILS	
Commercial code	UA8 F1C X UK
F0 code	F096399
12NC	859990963990
EAN code	8007842963991



OTHER FEATURES	
IFU Language	N/A
Product dimensions HxWxD (mm)	1875 X 595 X 630
Packed dimension HxWxD (mm)	1940 X 640 X 725
Gross Weight (kg)	71
Net Weight (kg)	69
Source	Turkey

MAIN FEATURES	
Energy efficiency class	A+
Total gross capacity (l)	291 L
Total net capacity (l)	260 L
Main colour of product	Optic Inox
Fast freezing function	Yes
Super freezing option	N/A
Fast freezing light	Yes
Type of control	Electronic
Defrost process	Frost-free
Condenser type	External
Number of drawers/baskets	4
Interior light	No
Temperature adjustable	Yes
Acoustic alarm	Yes
Warning signal / Malfunction	Both visual and audible
Memory alarm warning temperature	Yes
Lockable door	No
Adjustable feet	Yes - front only

TECHNICAL FEATURES	
Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.86 kWh
Energy consumption per year (kW/y)	314 kWh
Noise (dBA)	41
Freezing capacity (kg/24h)	26 KG
Storage Period in Event of Power Failure (h)	24
Insulation type	Super
Cable Length (cm)	245
Number of feet	2
Number of Fixed Rollers	2

ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Electrical connection rating (W)	150 W
Plug Type	UK



Freestanding
Upright Freezer

PRODUCT DETAILS	
Commercial code	UH8 F1C W
F0 code	F096391
12NC	859990963910
EAN code	8007842963915



OTHER FEATURES	
IFU Language	N/A
Product dimensions HxWxD (mm)	1875 X 595 X 630
Packed dimension HxWxD (mm)	1940 X 640 X 725
Gross Weight (kg)	71
Net Weight (kg)	69
Source	Turkey

MAIN FEATURES	
Energy efficiency class	A+
Total gross capacity (l)	291 L
Total net capacity (l)	260 L
Main colour of product	Global white
Fast freezing function	Yes
Super freezing option	N/A
Fast freezing light	Yes
Type of control	Electronic
Defrost process	Frost-free
Condenser type	External
Number of drawers/baskets	5
Interior light	No
Temperature adjustable	Yes
Acoustic alarm	Yes
Warning signal / Malfunction	Both visual and audible
Memory alarm warning temperature	Yes
Lockable door	No
Adjustable feet	Yes - front only

TECHNICAL FEATURES	
Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.86 kWh
Energy consumption per year (kW/y)	314 kWh
Noise (dBA)	41
Freezing capacity (kg/24h)	26 KG
Storage Period in Event of Power Failure (h)	24
Insulation type	Super
Cable Length (cm)	245
Number of feet	2
Number of Fixed Rollers	2

ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Electrical connection rating (W)	150 W
Plug Type	Schuko



Freestanding
Upright Freezer

PRODUCT DETAILS	
Commercial code	UA8 F1C W UK
F0 code	F096397
12NC	859990963970
EAN code	8007842963977



OTHER FEATURES	
IFU Language	N/A
Product dimensions HxWxD (mm)	1875 X 595 X 630
Packed dimension HxWxD (mm)	1940 X 640 X 725
Gross Weight (kg)	71
Net Weight (kg)	69
Source	Turkey

MAIN FEATURES	
Energy efficiency class	A+
Total gross capacity (l)	291 L
Total net capacity (l)	260 L
Main colour of product	Global white
Fast freezing function	Yes
Super freezing option	N/A
Fast freezing light	
Type of control	Electronic
Defrost process	Frost-free
Condenser type	External
Number of drawers/baskets	4
Interior light	No
Temperature adjustable	Yes
Acoustic alarm	Yes
Warning signal / Malfunction	Both visual and audible
Memory alarm warning temperature	Yes
Lockable door	No
Adjustable feet	Yes - front only

TECHNICAL FEATURES	
Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.86 kWh
Energy consumption per year (kW/y)	314 kWh
Noise (dBA)	41
Freezing capacity (kg/24h)	26 KG
Storage Period in Event of Power Failure (h)	24
Insulation type	Super
Cable Length (cm)	245
Number of feet	2
Number of Fixed Rollers	2

ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Electrical connection rating (W)	150 W
Plug Type	UK



Freestanding
Upright Freezer

PRODUCT DETAILS	
Commercial code	UH6 1T W.1
F0 code	F105702
12NC	859991057020
EAN code	3007842057022



OTHER FEATURES	
IFU Language	N/A
Product dimensions HxWxD (mm)	1670 X 595 X 645
Packed dimension HxWxD (mm)	1735 X 640 X 725
Gross Weight (kg)	65
Net Weight (kg)	63
Source	Turkey

MAIN FEATURES	
Energy efficiency class	A+
Total gross capacity (l)	244 L
Total net capacity (l)	232 L
Main colour of product	Global white
Fast freezing function	Yes
Super freezing option	N/A
Fast freezing light	
Type of control	Electronic
Defrost process	Manual
Condenser type	External
Number of drawers/baskets	4
Interior light	No
Temperature adjustable	Yes
Acoustic alarm	No
Warning signal / Malfunction	Both visual and audible
Memory alarm warning temperature	Yes
Lockable door	No
Adjustable feet	Yes - front only

TECHNICAL FEATURES	
Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.732 kWh
Energy consumption per year (kW/y)	267 kWh
Noise (dBA)	41
Freezing capacity (kg/24h)	12 KG
Storage Period in Event of Power Failure (h)	12
Insulation type	Normal
Cable Length (cm)	245
Number of feet	2
Number of Fixed Rollers	2

ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Electrical connection rating (W)	150 W
Plug Type	Schuko



Freestanding
Upright Freezer



PRODUCT SPECIFICATIONS
Freestanding Chest Freezer

PRODUCT DETAILS	
Commercial code	AR600T
F0 code	F103853
12NC	859991038530
EAN code	8050147038536



ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	13
Electrical connection rating (W)	360 W
Plug Type	UK

OTHER FEATURES	
IFU languages	Arabic, English
Product dimension HxWxD (mm)	916 X 1405 X 698
Packed dimension HxWxD (mm)	962 X 1437 X 766
Gross Weight (kg)	50
Net Weight (kg)	48.4
Product Volume in Cubic Meters	1.059
Source	Italy

MAIN FEATURES	
Energy efficiency class	F
Total gross capacity (l)	460 L
Total net capacity (l)	454 L
Main colour of product	White
Fast freezing function	Yes
Super Freezing option	Yes
Fast Freezing Light	Yes
Type of control	Mechanical
User Interface	Mechanic
Defrost process	Manual
Space+ range	Space Max
"Clean back" hidden condenser	Skin internal
Counter balance lid	Yes
Number of drawers/baskets	3
Innerliner material	Aluminium
Interior light	Yes
Temperature adjustable	Yes
Warning signal / Malfunction	Visual
Memory alarm warning temperature	No
On-off light	Yes
Lockable door	Yes

TECHNICAL FEATURES	
Climate class	T
Type of Gas Inside Circuit	R134a
Energy star	4
Energy consumption in 24 h (kW/h)	1.88 kWh
Energy consumption per year (kW/y)	686 kWh
Freezing capacity (kg/24h)	20.5 KG
Noise (dBA)	47
Storage Period in Event of Power Failure (h)	35
Insulation type	Normal
Cable Length (cm)	245
Inner dimensions HxWxD (mm)	732x1271x522
Number of feet	2
Number of Fixed Rollers	2



Freestanding Chest Freezer

PRODUCT DETAILS	
Commercial code	AR420T
F0 code	F103852
12NC	859991038520
EAN code	8050147038529



ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	13
Electrical connection rating (W)	240 W
Plug Type	UK

OTHER FEATURES	
IFU languages	Arabic, English
Product dimension HxWxD (mm)	916 X 1180 X 698
Packed dimension HxWxD (mm)	962 X 1212 X 749
Gross Weight (kg)	41
Net Weight (kg)	39.6
Product Volume in Cubic Meters	0.873
Source	Italy

MAIN FEATURES	
Energy efficiency class	F
Total gross capacity (l)	315 L
Total net capacity (l)	311 L
Main colour of product	White
Fast freezing function	Yes
Super Freezing option	Yes
Fast Freezing Light	No
Type of control	Mechanical
User Interface	Mechanic
Defrost process	Manual
Space+ range	No
"Clean back" hidden condenser	Skin internal
Counter balance lid	Yes
Number of drawers/baskets	2
Innerliner material	Aluminium
Interior light	Yes
Temperature adjustable	Yes
Warning signal / Malfunction	Visual
Memory alarm warning temperature	No
On-off light	Yes
Lockable door	Yes

TECHNICAL FEATURES	
Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption in 24 h (kW/h)	1.302 kWh
Energy consumption per year (kW/y)	475 kWh
Freezing capacity (kg/24h)	14 KG
Noise (dBA)	45
Storage Period in Event of Power Failure (h)	36
Insulation type	Normal
Cable Length (cm)	245
Inner dimensions HxWxD (mm)	705x1004x484
Number of feet	2
Number of Fixed Rollers	2



Freestanding Chest Freezer

PRODUCT DETAILS	
Commercial code	AR340T
F0 code	F103851
12NC	859991038510
EAN code	8050147038512



ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	13
Electrical connection rating (W)	100 W
Plug Type	UK

OTHER FEATURES	
IFU languages	Arabic, English
Product dimension HxWxD (mm)	916 X 1010 X 698
Packed dimension HxWxD (mm)	962 X 1042 X 766
Gross Weight (kg)	37.5
Net Weight (kg)	36.2
Product Volume in Cubic Meters	0.768
Source	Italy

MAIN FEATURES	
Energy efficiency class	F
Total gross capacity (l)	255 L
Total net capacity (l)	251 L
Main colour of product	White
Fast freezing function	Yes
Super Freezing option	Yes
Fast Freezing Light	No
Type of control	Mechanical
User Interface	Mechanic
Defrost process	Manual
Space+ range	N/A
"Clean back" hidden condenser	Skin internal
Counter balance lid	Yes
Number of drawers/baskets	1
Innerliner material	Aluminium
Interior light	No
Temperature adjustable	Yes
Warning signal / Malfunction	Visual
Memory alarm warning temperature	No
On-off light	Yes
Lockable door	Yes

TECHNICAL FEATURES	
Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption in 24 h (kW/h)	1.183 kWh
Energy consumption per year (kW/y)	432 kWh
Freezing capacity (kg/24h)	14 KG
Noise (dBA)	45
Storage Period in Event of Power Failure (h)	35
Insulation type	Normal
Cable Length (cm)	245
Inner dimensions HxWxD (mm)	705x834x484
Number of feet	2
Number of Fixed Rollers	2



Freestanding
Chest Freezer



PRODUCT SPECIFICATIONS
Freestanding No

PRODUCT DETAILS	FS - Top Mount
Commercial code	ENXTYH 19322 FWL
F0 code	F085134
12NC	859990851340
EAN code	8007842851342



MAIN FEATURES	
Energy efficiency class	A++
Total unit gross capacity (l)	472 L
Total unit net capacity (l)	456 L
Main colour of product	Inox
Active oxygen	No
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	Yes
Fast freezing function	Yes
Cooling system	No Frost
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	
Type of control	Electronic
Presence of display	Yes
Controls Position	On Door
Doors Reversibility	Right reversible
Warning signal / Malfunction	Both visual and audible
Automatic door closing	Yes
Door open alarm	Fridge and Freezer
Multiflow system	Yes
Handles Type	Protruding
No. of Adjustable Shelves in fridge compartment	4
Freezer shelves	1
Fridge Adjustable Balconies - Number	4
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Eggs tray	No
Butter box	No
Interior Light	Yes
Ice Maker Type	Ice Device
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES

Climate class	SN-N-ST-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.8 kWh
Energy consumption per year (kW/y)	306 kWh
Freezing capacity (kg/24h)	5 KG
Storage Period in Event of Power Failure (h)	12
Freezing capacity (kg)	5
Noise (dBA)	43
Refrigerator Gross capacity (l)	362 L
Refrigerator Net capacity (l)	355 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	101 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	
Product dimension HxWxD (mm)	1905 X 700 X 765
Packed dimension HxWxD (mm)	1965 X 750 X 780
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS	FS - Top Mount
Commercial code	ENXTM 18221 F
F0 code	F085142
12NC	850325286000
EAN code	8007842851427

MAIN FEATURES	
Energy efficiency class	A+
Total unit gross capacity (l)	438 L
Total unit net capacity (l)	423 L
Main colour of product	Inox
Active oxygen	No
Number of compressors	
Food Care Zone	No
Fast cooling possibility	No
Fast freezing function	No
Cooling system	No Frost
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	
Type of control	Mechanical
Presence of display	No
Controls Position	Internal
Doors Reversibility	Right reversible
Warning signal / Malfunction	
Automatic door closing	Yes
Door open alarm	No
Multiflow system	Yes
Handles Type	Flush
No. of Adjustable Shelves in fridge compartment	3
Freezer shelves	1
Fridge Adjustable Balconies - Number	3
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Eggs tray	No
Butter box	No
Interior Light	Yes
Ice Maker Type	Ice Device
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

Freestanding
Top Mount
Refrigerator



TECHNICAL FEATURES

Climate class	SN-N-ST-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1 kWh
Energy consumption per year (kW/y)	377 kWh
Freezing capacity (kg/24h)	2 KG
Storage Period in Event of Power Failure (h)	15
Freezing capacity (kg)	2
Noise (dBA)	40
Refrigerator Gross capacity (l)	328 L
Refrigerator Net capacity (l)	322 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	101 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	English
Product dimension HxWxD (mm)	1800 X 700 X 725
Packed dimension HxWxD (mm)	1865 X 750 X 790
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS	FS - Top Mount
Commercial code	ENXTM 18221 F (MA)
F0 code	F154688
12NC	859991546880
EAN code	8050147546888



MAIN FEATURES	
Energy efficiency class	A+
Total unit gross capacity (l)	438 L
Total unit net capacity (l)	423 L
Main colour of product	Inox
Active oxygen	No
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	No
Fast freezing function	No
Cooling system	No Frost
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	Yes
Type of control	Mechanical
Presence of display	No
Controls Position	Internal
Doors Reversibility	Right reversible
Warning signal / Malfunction	No signal
Automatic door closing	Yes
Door open alarm	No
Multiflow system	Yes
Handles Type	Flush
No. of Adjustable Shelves in fridge compartment	3
Freezer shelves	1
Fridge Adjustable Balconies - Number	3
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Eggs tray	No
Butter box	No
Interior Light	Yes
Ice Maker Type	Ice Device
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES

Climate class	SN-N-ST-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1 kWh
Energy consumption per year (kW/y)	377 kWh
Freezing capacity (kg/24h)	2 KG
Storage Period in Event of Power Failure (h)	15
Freezing capacity (kg)	2
Noise (dBA)	40
Refrigerator Gross capacity (l)	328 L
Refrigerator Net capacity (l)	322 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	101 L


ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	Arabic
Product dimension HxWxD (mm)	1800 X 700 X 725
Packed dimension HxWxD (mm)	1865 X 750 X 790
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS		MAIN FEATURES	
Commercial code	ENTM 19120 F CKD	Energy efficiency class	A
F0 code	F153501	Total unit gross capacity (l)	415 L
12NC	859991535010	Total unit net capacity (l)	385 L
EAN code	8050147535011	Main colour of product	Inox
		Active oxygen	No
		Number of compressors	1
		Food Care Zone	No
		Fast cooling possibility	N/A
		Fast freezing function	N/A
		Cooling system	No Frost
		Defrost process freezer section	Frost-free
		Defrost process fridge section	Frost-free
		Vacation mode	No
		Type of control	Mechanical
		Presence of display	No
		Controls Position	Internal
		Doors Reversibility	Right reversible
		Warning signal / Malfunction	No signal
		Automatic door closing	Yes
		Door open alarm	No
		Multiflow system	Yes
		Handles Type	Flush
		No. of Adjustable Shelves in fridge compartment	3
		Freezer shelves	1
		Fridge Adjustable Balconies - Number	4
		Material of the shelves	Glass With Profile
		Crisper solutions	N/A
		Number of crisper drawers	2
		Crisper Humidity Control	Yes
		Eggs tray	No
		Butter box	No
		Interior Light	Yes
		Ice Maker Type	Ice Device
		HYGIENE ADVANCE	Yes
		Adjustable feet	Yes - front only



Freestanding
Top Mount
Refrigerator



TECHNICAL FEATURES	
Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.4 kWh
Energy consumption per year (kW/y)	512 kWh
Freezing capacity (kg/24h)	3 KG
Storage Period in Event of Power Failure (h)	9
Freezing capacity (kg)	3
Noise (dBA)	46
Refrigerator Gross capacity (l)	319 L
Refrigerator Net capacity (l)	316 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	69 L
ENERGY	
Voltage (V)	220
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	Schuko
OTHER FEATURES	
IFU Language	Arabic
Product dimension HxWxD (mm)	1905 X 700 X 685
Packed dimension HxWxD (mm)	1940 X 750 X 730
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS		FS - Top Mount
Commercial code	ENTM 19020 F (EX)	
F0 code	F078427	
12NC	859990784270	
EAN code	8007842784275	



MAIN FEATURES		
Energy efficiency class		B
Total unit gross capacity (l)		415 L
Total unit net capacity (l)		385 L
Main colour of product		Inox
Active oxygen		No
Number of compressors		1
Food Care Zone		No
Fast cooling possibility		N/A
Fast freezing function		N/A
Cooling system		No Frost
Defrost process freezer section		Frost-free
Defrost process fridge section		Frost-free
Vacation mode		
Type of control	Mechanical	
Presence of display		No
Controls Position		Internal
Doors Reversibility		Right reversible
Warning signal / Malfunction		
Automatic door closing		Yes
Door open alarm		No
Multiflow system		Yes
Handles Type		Flush
No. of Adjustable Shelves in fridge compartment		3
Freezer shelves		1
Fridge Adjustable Balconies - Number		4
Material of the shelves		Glass With Profile
Crisper solutions		N/A
Number of crisper drawers		2
Crisper Humidity Control		Yes
Eggs tray		No
Butter box		No
Interior Light		Yes
Ice Maker Type		Ice Device
HYGIENE ADVANCE		Yes
Adjustable feet		Yes - front only

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES

Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.4 kWh
Energy consumption per year (kW/y)	512 kWh
Freezing capacity (kg/24h)	3 KG
Storage Period in Event of Power Failure (h)	9
Freezing capacity (kg)	3
Noise (dBA)	46
Refrigerator Gross capacity (l)	319 L
Refrigerator Net capacity (l)	316 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	69 L

ENERGY

Voltage (V)	220
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	
Product dimension HxWxD (mm)	1905 X 700 X 685
Packed dimension HxWxD (mm)	1940 X 750 X 730
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS		FS - Top Mount
Commercial code	ENTM 18020 F (EX)	
F0 code	F078432	
12NC	859990784320	
EAN code	8007842784329	



MAIN FEATURES		
Energy efficiency class		B
Total unit gross capacity (l)		374 L
Total unit net capacity (l)		342 L
Main colour of product		Inox
Active oxygen		No
Number of compressors		1
Food Care Zone		Yes
Fast cooling possibility		N/A
Fast freezing function		N/A
Cooling system		No Frost
Defrost process freezer section		Frost-free
Defrost process fridge section		Frost-free
Vacation mode		
Type of control	Mechanical	
Presence of display	No	
Controls Position	Internal	
Doors Reversibility	Right reversible	
Warning signal / Malfunction		
Automatic door closing	Yes	
Door open alarm	No	
Multiflow system	Yes	
Handles Type	Flush	
No. of Adjustable Shelves in fridge compartment	3	
Freezer shelves	1	
Fridge Adjustable Balconies - Number	3	
Material of the shelves	Glass With Profile	
Crisper solutions	N/A	
Number of crisper drawers	2	
Crisper Humidity Control	Yes	
Eggs tray	No	
Butter box	Yes	
Interior Light	Yes	
Ice Maker Type	Ice Device	
HYGIENE ADVANCE	Yes	
Adjustable feet	Yes - front only	

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES

Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.3 kWh
Energy consumption per year (kW/y)	477 kWh
Freezing capacity (kg/24h)	3 KG
Storage Period in Event of Power Failure (h)	7
Freezing capacity (kg)	3
Noise (dBA)	46
Refrigerator Gross capacity (l)	287 L
Refrigerator Net capacity (l)	284 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	58 L


ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	UK, Schuko

OTHER FEATURES

IFU Language	Arabic
Product dimension HxWxD (mm)	1805 X 700 X 675
Packed dimension HxWxD (mm)	1840 X 750 X 730
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS	FS - Top Mount
Commercial code	ENTM 18020 F (GCC)
F0 code	F153425
12NC	859991534250
EAN code	8050147534250



MAIN FEATURES	
Energy efficiency class	B
Total unit gross capacity (l)	374 L
Total unit net capacity (l)	342 L
Main colour of product	Inox
Active oxygen	No
Number of compressors	1
Food Care Zone	Yes
Fast cooling possibility	N/A
Fast freezing function	N/A
Cooling system	No Frost
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	N/A
Type of control	Mechanical
Presence of display	No
Controls Position	Internal
Doors Reversibility	Right reversible
Warning signal / Malfunction	No signal
Automatic door closing	Yes
Door open alarm	No
Multiflow system	Yes
Handles Type	Flush
No. of Adjustable Shelves in fridge compartment	3
Freezer shelves	1
Fridge Adjustable Balconies - Number	3
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Eggs tray	No
Butter box	Yes
Interior Light	Yes
Ice Maker Type	Ice Device
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES	
Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.3 kWh
Energy consumption per year (kW/y)	477 kWh
Freezing capacity (kg/24h)	3 KG
Storage Period in Event of Power Failure (h)	7
Freezing capacity (kg)	3
Noise (dBA)	46
Refrigerator Gross capacity (l)	287 L
Refrigerator Net capacity (l)	284 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	58 L
ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	UK
OTHER FEATURES	
IFU Language	Arabic
Product dimension HxWxD (mm)	1805 X 700 X 675
Packed dimension HxWxD (mm)	1840 X 750 X 730
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS	FS - Top Mount
Commercial code	ENXTM 18211 F
F0 code	F085140
12NC	859990851400
EAN code	8007842851403



MAIN FEATURES	
Energy efficiency class	A+
Total unit gross capacity (l)	438 L
Total unit net capacity (l)	423 L
Main colour of product	White
Active oxygen	No
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	No
Fast freezing function	No
Cooling system	No Frost
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	No
Type of control	Mechanical
Presence of display	No
Controls Position	Internal
Doors Reversibility	Right reversible
Warning signal / Malfunction	No
Automatic door closing	Yes
Door open alarm	No
Multiflow system	Yes
Handles Type	Flush
No. of Adjustable Shelves in fridge compartment	3
Freezer shelves	1
Fridge Adjustable Balconies - Number	3
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Eggs tray	No
Butter box	No
Interior Light	Yes
Ice Maker Type	Ice Device
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES	
Climate class	SN-N-ST-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1 kWh
Energy consumption per year (kW/y)	377 kWh
Freezing capacity (kg/24h)	2 KG
Storage Period in Event of Power Failure (h)	15
Freezing capacity (kg)	2
Noise (dBA)	40
Refrigerator Gross capacity (l)	328 L
Refrigerator Net capacity (l)	322 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	101 L
ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	Schuko
OTHER FEATURES	
IFU Language	Arabic
Product dimension HxWxD (mm)	1800 X 700 X 725
Packed dimension HxWxD (mm)	1865 X 750 X 790
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS		MAIN FEATURES	
Commercial code	ENTM 19110 F CKD	Energy efficiency class	A
F0 code	F153500	Total unit gross capacity (l)	415 L
12NC	859991535000	Total unit net capacity (l)	385 L
EAN code	8050147535004	Main colour of product	White
		Active oxygen	No
		Number of compressors	1
		Food Care Zone	No
		Fast cooling possibility	N/A
		Fast freezing function	N/A
		Cooling system	No Frost
		Defrost process freezer section	Frost-free
		Defrost process fridge section	Frost-free
		Vacation mode	No
		Type of control	Mechanical
		Presence of display	No
		Controls Position	Internal
		Doors Reversibility	Right reversible
		Warning signal / Malfunction	No signal
		Automatic door closing	Yes
		Door open alarm	No
		Multiflow system	Yes
		Handles Type	Flush
		No. of Adjustable Shelves in fridge compartment	3
		Freezer shelves	1
		Fridge Adjustable Balconies - Number	4
		Material of the shelves	Glass With Profile
		Crisper solutions	N/A
		Number of crisper drawers	2
		Crisper Humidity Control	Yes
		Eggs tray	No
		Butter box	No
		Interior Light	Yes
		Ice Maker Type	Ice Device
		HYGIENE ADVANCE	Yes
		Adjustable feet	Yes - front only

Image not available
in DAMS

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES	
Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.4 kWh
Energy consumption per year (kW/y)	512 kWh
Freezing capacity (kg/24h)	3 KG
Storage Period in Event of Power Failure (h)	9
Freezing capacity (kg)	3
Noise (dBA)	46
Refrigerator Gross capacity (l)	319 L
Refrigerator Net capacity (l)	316 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	69 L
ENERGY	
Voltage (V)	220
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	Schuko
OTHER FEATURES	
IFU Language	Arabic
Product dimension HxWxD (mm)	1905 X 700 X 685
Packed dimension HxWxD (mm)	1940 X 750 X 730
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS	FS - Top Mount
Commercial code	ENTM 18010 F (GCC)
F0 code	F153472
12NC	859991534720
EAN code	8050147534724



MAIN FEATURES	
Energy efficiency class	B
Total unit gross capacity (l)	374 L
Total unit net capacity (l)	342 L
Main colour of product	White
Active oxygen	No
Number of compressors	1
Food Care Zone	Yes
Fast cooling possibility	N/A
Fast freezing function	N/A
Cooling system	No Frost
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	N/A
Type of control	Mechanical
Presence of display	No
Controls Position	Internal
Doors Reversibility	Right reversible
Warning signal / Malfunction	No signal
Automatic door closing	Yes
Door open alarm	No
Multiflow system	Yes
Handles Type	Flush
No. of Adjustable Shelves in fridge compartment	3
Freezer shelves	1
Fridge Adjustable Balconies - Number	3
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Eggs tray	No
Butter box	Yes
Interior Light	Yes
Ice Maker Type	Ice Device
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES

Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.3 kWh
Energy consumption per year (kW/y)	477 kWh
Freezing capacity (kg/24h)	3 KG
Storage Period in Event of Power Failure (h)	7
Freezing capacity (kg)	3
Noise (dBA)	46
Refrigerator Gross capacity (l)	287 L
Refrigerator Net capacity (l)	284 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	58 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	180 W
Plug Type	UK

OTHER FEATURES

IFU Language	Arabic
Product dimension HxWxD (mm)	1805 X 700 X 675
Packed dimension HxWxD (mm)	1840 X 750 X 730
Gross Weight (kg)	80
Net Weight (kg)	76
Source	Turkey

PRODUCT DETAILS		MAIN FEATURES	
Commercial code	ENTM 18220 VW CKD	Energy efficiency class	A+
F0 code	F153428	Total unit gross capacity (l)	435 L
12NC	859991534280	Total unit net capacity (l)	414 L
EAN code	8050147534281	Main colour of product	Inox
		Active oxygen	No
		Number of compressors	1
		Food Care Zone	No
		Fast cooling possibility	N/A
		Fast freezing function	N/A
		Cooling system	No Frost
		Defrost process freezer section	Manual
		Defrost process fridge section	Automatic
		Vacation mode	N/A
		Type of control	Mechanical
		Presence of display	No
		Controls Position	Internal
		Doors Reversibility	Right reversible
		Warning signal / Malfunction	No signal
		Automatic door closing	Yes
		Door open alarm	No
		Multiflow system	No
		Handles Type	Flush
		No. of Adjustable Shelves in fridge compartment	5
		Freezer shelves	1
		Fridge Adjustable Balconies - Number	4
		Material of the shelves	Glass With Profile
		Crisper solutions	N/A
		Number of crisper drawers	2
		Crisper Humidity Control	No
		Eggs tray	No
		Butter box	No
		Interior Light	Yes
		Ice Maker Type	Normal
		HYGIENE ADVANCE	Yes
		Adjustable feet	Yes - front only



Freestanding Top Mount Refrigerator



TECHNICAL FEATURES

Climate class	N-ST-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.9 kWh
Energy consumption per year (kW/y)	326 kWh
Freezing capacity (kg/24h)	2 KG
Storage Period in Event of Power Failure (h)	20
Freezing capacity (kg)	2
Noise (dBA)	45
Refrigerator Gross capacity (l)	341 L
Refrigerator Net capacity (l)	332 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	82 L


ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	0 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	Arabic
Product dimension HxWxD (mm)	1805 X 700 X 665
Packed dimension HxWxD (mm)	1840 X 750 X 780
Gross Weight (kg)	72
Net Weight (kg)	68
Source	Turkey

PRODUCT DETAILS		FS - Top Mount
Commercial code	ENTM 18020 V (EX)	
F0 code	F080371	
12NC	859990803710	
EAN code	8007842803716	



MAIN FEATURES		
Energy efficiency class	B	
Total unit gross capacity (l)	435 L	
Total unit net capacity (l)	415 L	
Main colour of product	Inox	
Active oxygen	No	
Number of compressors	1	
Food Care Zone	No	
Fast cooling possibility	N/A	
Fast freezing function	N/A	
Cooling system	No Frost	
Defrost process freezer section	Manual	
Defrost process fridge section	Automatic	
Vacation mode	No	
Type of control	Mechanical	
Presence of display	No	
Controls Position	Internal	
Doors Reversibility	Right reversible	
Warning signal / Malfunction	No	
Automatic door closing	Yes	
Door open alarm	No	
Multiflow system	No	
Handles Type	Flush	
No. of Adjustable Shelves in fridge compartment	4	
Freezer shelves	1	
Fridge Adjustable Balconies - Number	4	
Material of the shelves	Glass With Profile	
Crisper solutions	N/A	
Number of crisper drawers	2	
Crisper Humidity Control	Yes	
Eggs tray	No	
Butter box	No	
Interior Light	Yes	
Ice Maker Type	Normal	
HYGIENE ADVANCE	Yes	
Adjustable feet	Yes - front only	

Freestanding Top Mount Refrigerator



TECHNICAL FEATURES

Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.4 kWh
Energy consumption per year (kW/y)	523 kWh
Freezing capacity (kg/24h)	2 KG
Storage Period in Event of Power Failure (h)	14
Freezing capacity (kg)	2
Noise (dBA)	44
Refrigerator Gross capacity (l)	341 L
Refrigerator Net capacity (l)	333 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	82 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	0 W
Plug Type	UK

OTHER FEATURES

IFU Language	Arabic
Product dimension HxWxD (mm)	1805 X 700 X 665
Packed dimension HxWxD (mm)	1840 X 750 X 730
Gross Weight (kg)	72
Net Weight (kg)	68
Source	Turkey

PRODUCT DETAILS		MAIN FEATURES	
Commercial code	ENTM 18210 VW CKD	Energy efficiency class	A+
F0 code	F153427	Total unit gross capacity (l)	435 L
12NC	859991534270	Total unit net capacity (l)	414 L
EAN code	8050147534274	Main colour of product	White
		Active oxygen	No
		Number of compressors	1
		Food Care Zone	No
		Fast cooling possibility	N/A
		Fast freezing function	N/A
		Cooling system	No Frost
		Defrost process freezer section	Manual
		Defrost process fridge section	Automatic
		Vacation mode	N/A
		Type of control	Mechanical
		Presence of display	No
		Controls Position	Internal
		Doors Reversibility	Right reversible
		Warning signal / Malfunction	No signal
		Automatic door closing	Yes
		Door open alarm	No
		Multiflow system	No
		Handles Type	Flush
		No. of Adjustable Shelves in fridge compartment	5
		Freezer shelves	1
		Fridge Adjustable Balconies - Number	4
		Material of the shelves	Glass With Profile
		Crisper solutions	N/A
		Number of crisper drawers	2
		Crisper Humidity Control	No
		Eggs tray	No
		Butter box	No
		Interior Light	Yes
		Ice Maker Type	Normal
		HYGIENE ADVANCE	Yes
		Adjustable feet	Yes - front only



Freestanding Top Mount Refrigerator

 **ARISTON**

TECHNICAL FEATURES

Climate class	N-ST-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.9 kWh
Energy consumption per year (kW/y)	326 kWh
Freezing capacity (kg/24h)	2 KG
Storage Period in Event of Power Failure (h)	20
Freezing capacity (kg)	2
Noise (dBA)	45
Refrigerator Gross capacity (l)	341 L
Refrigerator Net capacity (l)	332 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	82 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	0 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	Arabic
Product dimension HxWxD (mm)	1805 X 700 X 665
Packed dimension HxWxD (mm)	1840 X 750 X 780
Gross Weight (kg)	72
Net Weight (kg)	68
Source	Turkey

PRODUCT DETAILS	
Commercial code	ENTM 18010 V (EX)
F0 code	F078435
12NC	859990784350
EAN code	8007842784350

MAIN FEATURES	
Energy efficiency class	B
Total unit gross capacity (l)	435 L
Total unit net capacity (l)	414 L
Main colour of product	Whit5
Active oxygen	Yes
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	N/A
Fast freezing function	N/A
Cooling system	#N/A
Defrost process freezer section	Manual
Defrost process fridge section	Automatic
Vacation mode	
Type of control	Mechanical
Presence of display	No
Controls Position	Internal
Doors Reversibility	Right reversible
Warning signal / Malfunction	
Automatic door closing	Yes
Door open alarm	No
Multiflow system	
Handles Type	Flush
No. of Adjustable Shelves in fridge compartment	4
Freezer shelves	1
Fridge Adjustable Balconies - Number	4
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Eggs tray	No
Butter box	No
Interior Light	Yes
Ice Maker Type	Normal
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

Freestanding
Top Mount
Refrigerator



TECHNICAL FEATURES

Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.2 kWh
Energy consumption per year (kW/y)	427 kWh
Freezing capacity (kg/24h)	2 KG
Storage Period in Event of Power Failure (h)	22
Freezing capacity (kg)	2
Noise (dBA)	44
Refrigerator Gross capacity (l)	341 L
Refrigerator Net capacity (l)	333 L
Freezer gross capacity (l)	#N/A
Freezer Net capacity (l)	82 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	0,9
Electrical connection rating (W)	0 W
Plug Type	UK

OTHER FEATURES

IFU Language	Arabic, English
Product dimension HxWxD (mm)	1805 X 700 X 665
Packed dimension HxWxD (mm)	1840 X 750 X 730
Gross Weight (kg)	72
Net Weight (kg)	68
Source	Turkey



PRODUCT SPECIFICATIONS
Freestanding Bottom Mount Refrigerator

PRODUCT DETAILS	FS - Bottom Mount
Commercial code	ENBLH 19221 FW
F0 code	F077968
12NC	850325786000
EAN code	8007842779684

Freestanding Bottom Mount Refrigerator



MAIN FEATURES

Energy efficiency class	A+
Total gross capacity (l)	486 L
Total net capacity (l)	450 L
Main colour of product	Inox
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	Yes
Fast freezing function	Yes
Number of independent cooling systems	1
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	Yes
Type of control	Electronic
Presence of display	
Door Hinge	Right reversible
Warning signal / Malfunction	Both visual and audible
Automatic door closing	Yes
Door open alarm	Fridge and Freezer
Multiflow system	Yes
Handles Type	Protruding
No. of Adjustable Shelves in fridge compartment	3
Freezer shelves	
Fridge Adjustable Balconies - Number	3
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	2
Crisper Humidity Control	Yes
Interior Light	Yes
Ice Maker Type	Easy Ice 2011
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

TECHNICAL FEATURES

Climate class	SN-N-ST-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.1 kWh
Energy consumption per year (kW/y)	418 kWh
Freezing capacity (kg/24h)	18 KG
Storage Period in Event of Power Failure (h)	19
Freezing capacity (kg)	18
Noise (dBA)	43
Refrigerator Gross capacity (l)	324 L
Refrigerator Net capacity (l)	302 L
Freezer Gross capacity (l)	162 L
Freezer Net capacity (l)	148 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	1,1
Electrical connection rating (W)	210 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	
Product dimension HxWxD (mm)	1955 X 700 X 755
Packed dimension HxWxD (mm)	2015 X 750 X 780
Gross Weight (kg)	88
Net Weight (kg)	84
Source	Turkey

PRODUCT DETAILS	FS - Bottom Mount
Commercial code	ENBLH 19122 F T (EX)
F0 code	F078403
12NC	859990784030
EAN code	8007842784039

Freestanding Bottom Mount Refrigerator



MAIN FEATURES

Energy efficiency class	A
Total gross capacity (l)	513 L
Total net capacity (l)	470 L
Main colour of product	Inox
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	Yes
Fast freezing function	Yes
Number of independent cooling systems	1
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	Yes
Type of control	Electronic
Presence of display	
Door Hinge	Right reversible
Warning signal / Malfunction	Both visual and audible
Automatic door closing	Yes
Door open alarm	Fridge and Freezer
Multiflow system	Yes
Handles Type	Protruding
No. of Adjustable Shelves in fridge compartment	4
Freezer shelves	
Fridge Adjustable Balconies - Number	3
Material of the shelves	Glass With Profile
Crisper solutions	N/A
Number of crisper drawers	1
Crisper Humidity Control	Yes
Interior Light	Yes
Ice Maker Type	Easy Ice 2011
HYGIENE ADVANCE	Yes
Adjustable feet	Yes - front only

TECHNICAL FEATURES

Climate class	T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	1.4 kWh
Energy consumption per year (kW/y)	527 kWh
Freezing capacity (kg/24h)	18 KG
Storage Period in Event of Power Failure (h)	17
Freezing capacity (kg)	18
Noise (dBA)	43
Refrigerator Gross capacity (l)	331 L
Refrigerator Net capacity (l)	322 L
Freezer Gross capacity (l)	182 L
Freezer Net capacity (l)	148 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	1,1
Electrical connection rating (W)	210 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	
Product dimension HxWxD (mm)	1955 X 700 X 755
Packed dimension HxWxD (mm)	2015 X 750 X 780
Gross Weight (kg)	84
Net Weight (kg)	80
Source	Turkey

PRODUCT DETAILS	FS - Bottom Mount
Commercial code	XA8 T11 XH
F0 code	F154119
12NC	859991541190
EAN code	8007842933109

Freestanding Bottom Mount Refrigerator



MAIN FEATURES

Energy efficiency class	A+
Total gross capacity (l)	378 L
Total net capacity (l)	338 L
Main colour of product	Inox
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	Yes
Fast freezing function	No
Number of independent cooling systems	1
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	N/A
Type of control	Electronic
Presence of display	Yes
Door Hinge	Right reversible
Warning signal / Malfunction	Both visual and audible
Automatic door closing	
Door open alarm	Only Fridge
Multiflow system	Yes
Handles Type	Protruding
No. of Adjustable Shelves in fridge compartment	2
Freezer shelves	Yes
Fridge Adjustable Balconies - Number	3
Material of the shelves	Sliding Glass with Profile
Crisper solutions	Fresh Crisper +
Number of crisper drawers	1
Crisper Humidity Control	No
Interior Light	Yes
Ice Maker Type	Easy Ice 2011
HYGIENE ADVANCE	
Adjustable feet	Yes - front only

TECHNICAL FEATURES

Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.947 kWh
Energy consumption per year (kW/y)	346 kWh
Freezing capacity (kg/24h)	10 KG
Storage Period in Event of Power Failure (h)	17
Freezing capacity (kg)	10
Noise (dBA)	40
Refrigerator Gross capacity (l)	248 L
Refrigerator Net capacity (l)	234 L
Freezer Gross capacity (l)	130 L
Freezer Net capacity (l)	104 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	1
Electrical connection rating (W)	160 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	Arabic, English
Product dimension HxWxD (mm)	1890 X 601 X 729
Packed dimension HxWxD (mm)	1963 X 670 X 763
Gross Weight (kg)	75
Net Weight (kg)	72
Source	Poland

PRODUCT DETAILS

Commercial code	XA8 T11 WH
F0 code	F154099
12NC	859991540990
EAN code	8007842933116

Freestanding Bottom Mount Refrigerator

**MAIN FEATURES**

Energy efficiency class	A+
Total gross capacity (l)	378 L
Total net capacity (l)	338 L
Main colour of product	White
Number of compressors	1
Food Care Zone	No
Fast cooling possibility	Yes
Fast freezing function	No
Number of independent cooling systems	1
Defrost process freezer section	Frost-free
Defrost process fridge section	Frost-free
Vacation mode	N/A
Type of control	Electronic
Presence of display	Yes
Door Hinge	Right reversible
Warning signal / Malfunction	Both visual and audible
Automatic door closing	
Door open alarm	Only Fridge
Multiflow system	Yes
Handles Type	Protruding
No. of Adjustable Shelves in fridge compartment	2
Freezer shelves	Yes
Fridge Adjustable Balconies - Number	3
Material of the shelves	Sliding Glass with Profile
Crisper solutions	Fresh Crisper +
Number of crisper drawers	1
Crisper Humidity Control	No
Interior Light	Yes
Ice Maker Type	Easy Ice 2011
HYGIENE ADVANCE	
Adjustable feet	Yes - front only

TECHNICAL FEATURES

Climate class	SN-T
Type of Gas Inside Circuit	R600a
Energy star	4
Energy consumption (kWh)	0.947 kWh
Energy consumption per year (kW/y)	346 kWh
Freezing capacity (kg/24h)	10 KG
Storage Period in Event of Power Failure (h)	17
Freezing capacity (kg)	10
Noise (dBA)	39
Refrigerator Gross capacity (l)	248 L
Refrigerator Net capacity (l)	234 L
Freezer Gross capacity (l)	130 L
Freezer Net capacity (l)	104 L
ENERGY	
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	1
Electrical connection rating (W)	160 W
Plug Type	Schuko
OTHER FEATURES	
IFU Language	Arabic, English
Product dimension HxWxD (mm)	1890 X 601 X 729
Packed dimension HxWxD (mm)	1963 X 670 X 763
Gross Weight (kg)	75
Net Weight (kg)	72
Source	Poland



PRODUCT SPECIFICATIONS

Freestanding 4 DOORS / Side by Side

PRODUCT DETAILS	FS - Side by Side	MAIN FEATURES	
Commercial code	ARQ9 B1L	Energy efficiency class	A+
F0 code	F157107	Total unit gross capacity (l)	677 L
12NC	859991571070	Total unit net capacity (l)	591 L
EAN code	8050147571071	Main colour of product	Inox Look
		Compressor type	Inverter
		Fast cooling possibility	Yes
		Fast freezing function	Yes
		Number of independent cooling systems	1
		Defrost process freezer section	Frost-free
		Defrost process fridge section	Frost-free
		Temperature rise time (h)	20 H
		Type of control	Electronic
		Presence of display	Yes
		Controls Position	External
		Door hinge	Left & Right
		Thermometer freezer section	Digital
		Thermometer fridge section	Digital
		Door opened indicator fridge	Yes
		Door opened indicator freezer	Yes
		Multiflow - Full Height	No
		Short Multiflow	Yes
		Handles Type	N/A
		No. of Adjustable Shelves in fridge compartment	2
		No. of Adjustable Shelves (Freezer)	N/A
		Fridge Adjustable Balconies - Number	4
		Fixed Balconies Number (Fridge)	2
		Balconies Color	Transparent
		Material of the shelves	Glass With Profile
		Number of crisper drawers	2
		Crisper Humidity Control	No
		Fridge drawers - number	2
		Vegetable Crisper	Yes
		Kind of interior light	LED
		Ice Maker Type	N/A
		Antibacterial Filter / Hygiene +	No
		Length of electrical supply cord (cm)	180
		Built-in Possibility (Counter Depth)	Yes
		Adjustable feet	Yes - front only

Freestanding
Side by Side
4 Door Refrigerator



*Images to be updated

TECHNICAL FEATURES

Climate class	SN-N-ST-T
Type of Gas Inside Circuit	R600a
Star Rating	4
Energy consumption (kWh)	1.3 kWh
Energy consumption annual (kWh/annum)	485 kWh
Freezing capacity (kg/24h)	10 KG
Temperature rise time (h)	20 H
Range of temperature	10°C - 43°C
Noise level (dB(A))	37
Refrigerator Gross capacity (l)	409 L
Refrigerator Net capacity (l)	384 L
Freezer Gross capacity (l)	268 L
Freezer Net capacity (l)	207 L

ENERGY

Voltage (V)	220-240
Frequency (Hz)	50/60
Current (A)	1,5
Electrical connection rating (W)	255 W
Plug Type	Schuko

OTHER FEATURES

IFU Language	N/A
Product dimension HxWxD (mm)	1874 X 909 X 698
Packed dimension HxWxD (mm)	1976 X 987 X 768
Gross Weight (kg)	131
Net Weight (kg)	118
Source	China