


TABLE OF CONTENTS

- AESTHETIC & PLATFORM OVERVIEW
- RANGE LINE UP
- VALUE PROPOSITION PREVIEW
- COMMUNICATION PACKAGE PREVIEW
- PRODUCT SPECIFICATIONS









LINE-UP

WHIRLPOOL CORPORATION • CONFIDENTIAL

Range Line up GCC -2017 H2

15PS







VALUE PROPOSITION

WHIRLPOOL CORPORATION • CONFIDENTIAL

CONSUMERS ARE LOOKING FOR THE BEST CLEANING PERFORMANCE AS WELL AS EASE OF MANAGING THE LOADING CAPACITY



TOP PURCHASE DRIVERS

Top performances

Convenience / Flexibility / Space management & Capacity

Low Consumption / Money Saving

High quality construction

Right features & programs

Low noise level

RATIONAL BENEFITS

Cleaning & Drying

easy to use & easy to load/unload/self cleaning filter


Low energy & water consumption/lower running costs

robustness /long lasting

incl. reduction cycle duration

Comfort in the kitchen

BUT LESS THAN 50% OF CONSUMERS ARE SATISFIED WITH THEIR DISHWASHING CLEANING RESULTS



ARISTON

/ >50% `

>80%

CREATED THE DISHWASHERS TO REPLY ALL THESE NEEDS

I do not often have a choice but to manually wash my soiled crockery, either because they are so encrusted that my dish-washer cannot properly clean or because they are a few dirty dishes that it is not worth a full cycle.

Introducing the NEW Hotpoint Dish-washer 60cm

You can take care of your dishes whenever and however you need. Thanks to the 3D ZONE WASH, an innovative system of multiple water sprayers, it 3-dimensionally directs the water to a selected basket, giving either:


40% more cleaning power to clean even the most encrusted crockery

40% energy saving to run the cleaning cycle even with a few dishes

ALWAYS CLEAN DISHES UNDER YOUR CONTROL

3D ZONE WASH AS THE KEY FEATURE










2





1

CHOOSE A

BASKET








INVERTER MOTOR IS THE HEART OF THE MACHINE ARISTON INVERTER magnet-guided, variable speed motor enabling **precise control** on cleaning performance improving energy efficiency and reducing noise level INVERTER AT EVERY CYCLE

SILENCE; ADDITIONAL BENEFIT OF INVERTER MOTOR



Â

ARISTON



Thanks to the **Inverter motor**,

you can wash at every cycle with minimal vibrations and ideal silence up to 39db in BI and 41db in FS models

SILENCE AS A SECONDARY BENEFIT

	CE
WHAT IS IT?	Thanks to reduced noise level at every cycle, you can run the dish-washer however and whenever you want.
HOW IT WOR	KS The INVERTER Motor produces less vibrations and noise during every cycle; dedicated cycles algorithm are developed to reduce noise without lowering performances. Plus, improved materials provides a more effective insulation.
BENEFIT	 Wash whenever and however you want, in silence. 39db*: down to 39 db in BI and 41db in FS models for quiet performance every time Only up to 1 dba delta vs Eco label declaration on every cycle



SECONDARY FEATURES		
LIGHTS IN TUB	FLEXIBILITY	ACTIVE OXYGEN
$\frac{\left \frac{1}{1} \right }{1}$		O ₃
 2 LEDs illuminate interior to easy load & unload Visible premium look Innovation 2 LED enhances SS in tub 	 Maximum load flexibility with 13, 14 and 15 place setting. Mobile elements for an efficient arrangement of dishes. The adjustable parts are also colour coded, making the user experience even more accessible. 	 Naturally dissolves Up to 70% of unpleasant odors after 24hours*. No maintenance or recharge needed Exclusive HP patent



COMMUNICATION PACKAGE

WHIRLPOOL CORPORATION • CONFIDENTIAL

COMMUNICATION PACK



DIGITAL

- Landing page for SA and EG website
- Banners



- Image bank
- Trade leaflet
- Trade video

BTL & TRADE



PRODUCT SPECIFICATIONS

WHIRLPOOL CORPORATION • CONFIDENTIAL

Brand	ARISTON
Code	F105314
Commercial code	LIC 3C26 F UK
Mix segment	60 cm Full Integrated





Main colour of product	Silver
Plugtype	UK
Number of place settings	14
Water consumption (I)	9 L
Noise level dB(A)	46
Energy efficiency	A++
Energy consumption (kWh)	0.93 kWh
Connection rating (W)	1900 W
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	10
Start delay time max. (h)	12 H
Salt light indicator	Yes
Rinse aid light indicator	Yes
Extra Dry Option	No
Tablet option	Yes
Boostoption	No
Turbo option	No
Water protection system	Aquastop
Number of racks	3
Lowerrack	4 Foldable
Upperrack	4 flaps
Presence of third rack	No
Drying system	Static
Automatic programmes	Yes
Dynamic Intelligence	Sensor

Number of programmes	7
Zone Wash Option	Zone Wash
Normal	No
Eco 50	Yes
Eco	Yes
Express	Yes
Pre Wash	Yes
Intensive 65°	No
SelfClean	No
Fast everyday 60	Yes
Silent	No
Sanitizing	Yes
Auto Fast	Yes
Auto Intensive	Yes
Auto Normal	Yes
Packaging HxWxD (cm)	91 X 65 X 67,5
Product HxWxD (cm)	82 X 59,5 X 57
Max niche HxWxD (cm)	90 X 60 X 57
Min niche HxWxD (cm)	82 X 60 X 57
Gross Weight (kg)	37.5
Net Weight (kg)	35.5
Approval certificates	CE; IMQ

Code F105349	Brand	ARISTON
	Code	F105349
Commercial code LBC 3C26 F UK	Commercial code	LBC 3C26 F UK
Mix segment 60 cm Partial Integrated	Mix segment	60 cm Partial Integrated





Main colour of product	Black
Plug type	UK
Number of place settings	14
Water consumption (I)	9 L
Noise level dB(A)	46
Energy efficiency	A++
Energy consumption (kWh)	0.93 kWh
Connection rating (W)	1900 W
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	13
Start delay time max. (h)	24 H
Salt light indicator	Yes
Rinse aid light indicator	Yes
Extra Dry Option	No
Tablet option	Yes
Boostoption	Yes
Turbo option	Yes
Water protection system	Aquastop
Number of racks	3
Lowerrack	4 Foldable
Upperrack	4 flaps
Presence of third rack	Yes
Drying system	Static
Automatic programmes	Yes
Dynamic Intelligence	Sensor


Number of programmes	7
Zone Wash Option	Zone Wash
Normal	Yes
Eco 50	Yes
Eco	Yes
Express	Yes
Pre Wash	Yes
Intensive 65°	No
SelfClean	No
Fast everyday 60	Yes
Silent	No
Sanitizing	Yes
Auto Fast	Yes
Auto Intensive	Yes
Auto Normal	Yes
Packaging HxWxD (cm)	91 X 65 X 67,5
Product HxWxD (cm)	82 X 59,5 X 57
Max niche HxWxD (cm)	90 X 60 X 57
Min niche HxWxD (cm)	82 X 60 X 57
Gross Weight (kg)	37.5
Net Weight (kg)	35.5
Approval certificates	CE; IMQ

Brand	ARISTON
Code	F105312
Commercial code	LFC2B19XUK
Mix segment	60 cm Free standing



Main colour of product	Inox
Plugtype	UK
Number of place settings	13
• •	13 11 L
Water consumption (I)	49
Noise level dB(A)	49
Energy efficiency	A+
Energy consumption (kWh)	1.04 kWh
Connection rating (W)	1900 W
Voltage (V)	230-240
Frequency (Hz)	50
Current (A)	13
Start delay time max. (h)	8 H
Salt light indicator	Yes
Rinse aid light indicator	Yes
Extra Dry Option	No
Tablet option	Yes
Boostoption	No
Turbo option	No
Water protection system	Overflow
Number of racks	2
Lowerrack	Fixed
Upperrack	Fixed
Presence of third rack	No
Drying system	Static
Automatic programmes	Yes
Dynamic Intelligence	No
-,	


Number of programmes	5
Zone Wash Option	No
Normal	Yes
Eco 50	Yes
Eco	Yes
Express	Yes
Pre Wash	Yes
Intensive 65°	Yes
SelfClean	No
Fast everyday 60	No
Silent	No
Sanitizing	No
Auto Fast	No
Auto Intensive	No
Auto Normal	No
Packaging HxWxD (cm)	91 X 65 X 67,5
Product HxWxD (cm)	85 X 60 X 60
Max niche HxWxD (cm)	90 X 60 X 57
Min niche HxWxD (cm)	82 X 60 X 57
Gross Weight (kg)	49
Net Weight (kg)	47
Approval certificates	CE; IMQ





Main colour of product	Inox
Plugtype	UK
Number of place settings	14
Water consumption (I)	9.5 L
Noise level dB(A)	43
Energy efficiency	A++
Energy consumption (kWh)	0.93 kWh
Connection rating (W)	1900 W
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	13
Start delay time max. (h)	24 H
Salt light indicator	Yes
Rinse aid light indicator	Yes
Extra Dry Option	No
Tablet option	Yes
Boostoption	Yes
Turbo option	Yes
Water protection system	Aquastop
Number of racks	3
Lowerrack	4 Foldable
Upperrack	4 flaps
Presence of third rack	No
Drying system	Static
Automatic programmes	Yes
Dynamic Intelligence	Sensor

Number of programmes	9
Zone Wash Option	Zone Wash 3d
Normal	Yes
Eco 50	Yes
Eco	Yes
Express	Yes
Pre Wash	Yes
Intensive 65°	Yes
Self Clean	Yes
Fast everyday 60	Yes
Silent	Yes
Sanitizing	Yes
Auto Fast	Yes
Auto Intensive	Yes
Auto Normal	Yes
Packaging HxWxD (cm)	91 X 62,5 X 67,5
Product HxWxD (cm)	85 X 60 X 60
Max niche HxWxD (cm)	90 X 60 X 57
Min niche HxWxD (cm)	82 X 60 X 57
Gross Weight (kg)	49
Net Weight (kg)	47
Approval certificates	CE; IMQ







Main colour of product	Inox
Plug type	UK
Number of place settings	15
Water consumption (I)	9 L
Noise level dB(A)	43
Energy efficiency	A++
Energy consumption (kWh)	0.95 kWh
Connection rating (W)	1900 W
Voltage (V)	220-240
Frequency (Hz)	50
Current (A)	13
Start delay time max. (h)	24 H
Salt light indicator	Yes
Rinse aid light indicator	Yes
Extra Dry Option	Yes
Tablet option	Yes
Boostoption	No
Turbo option	Yes
Water protection system	Aquastop
Number of racks	3
Lowerrack	2 Sliding Pots and Pans Holder,8 Foldable
Upperrack	4 flaps, 4 foldable
Presence of third rack	Yes
Drying system	Static
Automatic programmes	Yes
Dynamic Intelligence	Sensor

Number of programmes	10
Zone Wash Option	Zone Wash 3d
Normal	Yes
Eco 50	Yes
Eco	Yes
Express	Yes
Pre Wash	Yes
Intensive 65°	Yes
SelfClean	Yes
Fast everyday 60	Yes
Silent	Yes
Sanitizing	Yes
Auto Fast	Yes
Auto Intensive	Yes
Auto Normal	Yes
Packaging HxWxD (cm)	91 X 62,5 X 67,5
Product HxWxD (cm)	85 X 60 X 60
Max niche HxWxD (cm)	90 X 60 X 57
Min niche HxWxD (cm)	82 X 60 X 57
Gross Weight (kg)	49
Net Weight (kg)	47
Approval certificates	CE; IMQ; SASO



The way you care