



Product
Catalogue
2018

mabe

When your home works,
everything works.

mabe

Mabe
Laundry



- 06** LMA72200WGCS
- 07** LMA46100VGCS
- 08** LMH70201WGC
- 09** LMH70201WBC
- 10** LMA79115VBC
- 11** LMA77113CBC
- 12** LMH70201WGCS
- 13** LMA77113CBCS
- 14** SME17R8XSGCT
- 15** SME17R8XSBCT
- 16** SME47N8XSBCT
- 17** SME26N5XNBCT
- 18** MCL1540EE

Mabe
Cooking



- 22** EML27
- 23** EML535
- 24** EML735
- 25** EML835
- 26** INGENIOUS763
- 27** INGENIOUS762
- 28** INGENIOUS761
- 29** INGENIOUS760

Mabe
Cooling



- 32** MEM30VH
- 33** MEM30PH
- 34** ORE30VG
- 35** MEM28VG
- 36** MRE24VH
- 37** ORE24CH
- 38** RMS1951Z
- 39** RMS1951B
- 40** IOMFD51Z
- 41** ROSFD40X
- 42** RMI2160X
- 43** RME1436V
- 44** RMT1951V
- 45** RMI1851X
- 46** RMC275NE
- 47** RMC215NE

mabe

Laundry

New Generation

LMA72200WGCS

22 kg / 100 lts commercial capacity

Laundry

Top Load 22 Kg

- 7 automatic cycles
- 4 manual cycles
- Eco Function
- Autoclean with alarm
- Express Wash (20min)
- Blackout recovery



● Diamond Grey

DIMENSIONS (CM)

H 118 W 72 D 69

UNITS PER CONTAINER (40HQ)

96

MODELS

LMA72200WGCS Shucko plug 220-240V 50Hz

MANUFACTURING SITE

MEXICO

Commercial capacity	22 kg / 100 lts
Certification	NOM
Digital Display	Yes
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	7
Water levels	adaptive fill
Temperature levels	3
Soil levels	3
Spin speeds	Auto
Commercial washing system	Infusor
Tub	High gloss stainless steel
Dispenser	Drawer (FS+D) BL / LD on cover.

LMA46100VGCS

16 kg / 90 lts commercial capacity

Laundry

Top Load 16 Kg

- 7 automatic cycles
- 4 manual cycles
- Eco Function
- Autoclean with alarm
- Express Wash (20min)
- Blackout recovery



● Diamond Grey

DIMENSIONS (CM)

H 107.88 W 60.96 D 60.96

UNITS PER CONTAINER (40HQ)

108

MODELS

LMA46100VGCS Shucko plug 220-240V 50Hz

MANUFACTURING SITE

MEXICO

Commercial capacity	16 kg / 90 lts
Certification	NOM
Digital Display	Yes
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	7
Water levels	adaptive fill
Temperature levels	3
Soil levels	3
Spin speeds	Auto
Commercial washing system	Infusor
Tub	High gloss stainless steel
Dispenser	Drawer (FS+D) BL / LD on cover.

New Generation

Laundry

Top Load 20 Kg

- 14 automatic cycles
- ECO function
- Hybrid electronic control
- Smart laundry patterns
- Ultra-highgloss Stainless Steel basket
- Autoclean with alarm
- Spin Wash Cycle
- LED Cycle indicator
- Blackout recovery
- Delay start
- Special manual cycles

LMH70201WGC

20 kg / 109 lts commercial capacity



● Silver

DIMENSIONS (CM)

H 111.63 W 67.8 D 68

UNITS PER CONTAINER (40HQ)

96

MODELS

LMH70201WGCU	UK plug	220-240V 50Hz
LMH70201WGCS	Shuko plug	220-240V 50Hz

MANUFACTURING SITE

MEXICO

Commercial capacity	20 kg / 109 lts
Certification	IEC CB
Digital Display	Yes
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	14
Water levels	adaptive fill
Temperature levels	6
Soil levels	5
Spin speeds	4
Commercial washing system	Infusor
Tub	High gloss stainless steel
Dispenser	Gravity - rear drawer

LMH70201WBC

20 kg / 109 lts commercial capacity



● White

DIMENSIONS (CM)

H 111.63 W 67.8 D 68

UNITS PER CONTAINER (40HQ)

96

MODELS

LMH70201WBCU	UK plug	220-240V 50Hz
LMH70201WBCS	Shuko plug	220-240V 50Hz

MANUFACTURING SITE

MEXICO

Commercial capacity	20 kg / 109 lts
Certification	IEC CB
Digital Display	Yes
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	14
Water levels	Adaptive fill
Temperature levels	6
Soil levels	5
Spin speeds	4
Commercial washing system	Infusor
Tub	High gloss stainless steel
Dispenser	Gravity - rear drawer

New Generation

Laundry

Top Load 19 Kg

- 11 automatic cycles
- Smart laundry patterns
- Ultra-highgloss Stainless Steel basket
- Autoclean with alarm
- Express Wash (20min)
- LED Cycle indicator
- Blackout recovery
- Delay start
- Special manual cycles

LMA79115VBC

19 kg / 109 lts commercial capacity



● White

DIMENSIONS (CM)

H 111.63 W 67.8 D 68

UNITS PER CONTAINER (40HQ)

96

MODELS

LMA79115VBCU	UK plug	220-240V 50Hz
LMA79115VBCS	Shuko plug	220-240V 50Hz

MANUFACTURING SITE

MEXICO

Commercial capacity	19 kg / 109 lts
Certification	IEC CB
Digital Display	No
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	11
Water levels	adaptive fill
Temperature levels	6
Soil levels	Auto
Spin speeds	4
Commercial washing system	Agitator single action wave
Tub	High gloss stainless steel
Dispenser	Gravity and agitator

*Pictures for reference. Characteristics and images may vary without previous notice.

mabe

LMA77113CBC

17 kg / 100 lts commercial capacity



● White

DIMENSIONS (CM)

H 111.63 W 67.8 D 68

UNITS PER CONTAINER (40HQ)

96

MODELS

LMA77113CBCU	UK plug	220-240V 50Hz
LMA77113CBCS	Shuko plug	220-240V 50Hz

MANUFACTURING SITE

MEXICO

Commercial capacity	17 kg / 100 lts
Certification	IEC CB
Digital Display	No
Start / Pause button	Yes
Delay start button	No
Lid Lock	Yes
Automatic wash cycles	11
Water levels	adaptive fill
Temperature levels	6
Soil levels	No
Spin speeds	Auto
Commercial washing system	Agitator single action
Tub	High gloss stainless steel
Dispenser	Gravity and agitator

*Pictures for reference. Characteristics and images may vary without previous notice.

mabe

LMH70201WGC

22 kg / 100 lts commercial capacity

LMA77113CBC

17 kg / 100 lts commercial capacity

Laundry

Top Load 22 Kg

- 7 automatic cycles
- 4 manual cycles
- Eco Function
- Autoclean with alarm
- Express Wash (20min)
- Blackout recovery



Laundry

16 kg / 90 lts commercial capacity

- 7 automatic cycles
- 4 manual cycles
- Eco Function
- Autoclean with alarm
- Express Wash (20min)
- Blackout recovery

● Diamond Grey

● Diamond Grey

DIMENSIONS (CM)

H 107.88 W 60.96 D 60.96

UNITS PER CONTAINER (40HQ)

108

MODELS

LMH70201WGCS Shuko plug 220-240V 50Hz

MANUFACTURING SITE

MEXICO

Commercial capacity	22 kg / 100 lts
Certification	IEC CB
Digital Display	Yes
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	7
Water levels	adaptive fill
Temperature levels	No
Soil levels	No
Spin speeds	Auto
Commercial washing system	Infusor
Tub	High gloss stainless steel
Dispenser	Drawer (FS+D) BL / LD on cover.

Commercial capacity	16 kg / 90 lts
Certification	IEC CB
Digital Display	Yes
Start / Pause button	Yes
Delay start button	Yes
Lid Lock	Yes
Automatic wash cycles	7
Water levels	adaptive fill
Temperature levels	No
Soil levels	No
Spin speeds	Auto
Commercial washing system	Infusor
Tub	High gloss stainless steel
Dispenser	Drawer (FS+D) BL / LD on cover.

DIMENSIONS (CM)

H 107.88 60.96 D 60.96

UNITS PER CONTAINER (40HQ)

108

MODELS

LMA77113CBCS Shuko plug 220-240V 50Hz

MANUFACTURING SITE

MEXICO

New Generation

Laundry

Dryer 7.4 cu.ft.

- eDry Option
- My cycle
- XL glass door
- LED light
- Alcosta Drum
- High rust resistance
- Long exhaust vent (36m)
- Large lint filter
- XL Door
- LED display

● Silver

DIMENSIONS (CM)

H 111 W 68.8 D 78

UNITS PER CONTAINER (40HQ)

84

MODELS

SME17R8XSGCT	Terminal block	220-240V 50Hz
--------------	----------------	------------------

MANUFACTURING SITE

MEXICO

SME17R8XSGCT

7.4 cu.ft. commercial capacity



SME17R8XSBCT

7.4 cu.ft. commercial capacity



New Generation

Laundry

Dryer 7.4 cu.ft.

- eDry Option
- My cycle
- XL glass door
- LED light
- Alcosta Drum
- High rust resistance
- Long exhaust vent (36m)
- Large lint filter
- XL Door
- LED display

● White

DIMENSIONS (CM)

H 111 W 68.8 D 78

UNITS PER CONTAINER (40HQ)

84

MODELS

SME17R8XSBCT	Terminal block	220-240V 50Hz
--------------	----------------	------------------

MANUFACTURING SITE

MEXICO

Commercial capacity	7.4 cu.ft.
Certification	IEC CB
Door	Glass smoke XL
Drum	Alcosta
Light	LED
Lint filter	Large
Humidity sensor	Yes
Reversible door	Yes
Temperature levels	4
Power	Electric 1 Phase

Commercial capacity	7.4 cu.ft.
Certification	IEC CB
Door	Glass smoke XL
Drum	Alcosta
Light	LED
Lint filter	Large
Humidity sensor	Yes
Reversible door	Yes
Temperature levels	4
Power	Electric 1 Phase

New Generation

Laundry

Dryer 7.2 cu.ft.

- Alcosta Drum
- High rust resistance
- Long exhaust vent (36m)
- Large lint filter
- XL glass door
- LED light

SME47N8XSBCT

7.2 cu.ft. commercial capacity



SME26N5XNBCT

6.2 cu.ft. commercial capacity



New Generation

Laundry

Dryer 6.2 cu.ft.

- Alcosta Drum
- High rust resistance
- Long exhaust vent (36m)
- Large lint filter
- XL Door

● White

DIMENSIONS (CM)

H 110 W 68.8 D 75

UNITS PER CONTAINER (40HQ)

90

MODELS

SME47N8XSBCT	Terminal block	220-240V 50Hz
--------------	----------------	------------------

MANUFACTURING SITE

MEXICO

Commercial capacity	7.2 cu.ft.
Certification	IEC CB
Door	Glass smoke XL
Drum	Alcosta
Light	LED
Lint filter	Large
Humidity sensor	Yes
Reversible door	Yes
Temperature levels	4
Power	Electric 1 Phase

● White

DIMENSIONS (CM)

H 110 W 68.8 D 68

UNITS PER CONTAINER (40HQ)

96

MODELS

SME26N5XNBCT	Terminal block	220-240V 50Hz
--------------	----------------	------------------

MANUFACTURING SITE

MEXICO

Commercial capacity	6.2 cu.ft.
Certification	IEC CB
Door	Metal XL
Drum	Alcosta
Light	No
Lint filter	Large
Humidity sensor	No
Reversible door	Yes
Temperature levels	3
Power	Electric 1 Phase

New Generation

MCL1540EE

15 kg / 33 lb. / 6.0 cu.ft. commercial capacity

Laundry

Laundry Center 15 Kg

WASHER FEATURES:

- Controls: Wash, spin, rinse, lid lock
- 7 Washer cycles
- 5 Water temperatures
- 4 Water levels
- Stainles steel tub

- Infuser washer system
- Full IEC

DRYER FEATURES:

- 4 Drying cycles
- 4 Temperature levels
- Electric power



- White
- Diamond Gray

DIMENSIONS (CM)

H 192.0 W 68.0 D 78.3

UNITS PER CONTAINER (40HQ)

42

MODELS

MCL1540EEBBY	Terminal block	220V 50Hz
MCL1540EEDGY	Terminal block	220V 50Hz

MANUFACTURING SITE

MEXICO

Certification	IEC CB
WASHER FEATURES	
Commercial capacity	15 kg / 33 lb.
Status indicator	Yes
Lid lock	Yes
Temperature levels	5
Water levels	Adaptive fill / + 4 levels
Tub	Stainles Steel
Commercial washing system	Infuser
Bleach dispenser	Yes
End of cycle signal	Yes
Wash combinations	1
DRYER FEATURES	
Commercial capacity	6 cu.ft.
Drum	Painted steel
Drying cycles	4
Power	Electric
Temperature levels	4



*Pictures for reference. Characteristics and images may vary without previous notice.

mabe

Cooking

New Generation

EML27

76 cm / 30 in commercial capacity

Cooking

Free Standing Electric Range 76 Cm

- Coil Burners
- 5.0 cu.ft. Oven capacity
- Standard clean oven
- Electronic clock and timer
- Removable full-width storage drawer



● Black with Stainless Steel ● White

DIMENSIONS (CM)

H 119.4 W 75.7 D 73.0

UNITS PER CONTAINER (40HQ)

84

MODELS

EML27NXF	Terminal block	220-240V 50-60Hz
EML27WWF	Terminal block	220-240V 50-60Hz

MANUFACTURING SITE

MEXICO

mabe

EML535

141.6 l / 5 cu.ft. commercial capacity

Cooking

Free Standing Electric Range 76 cm

- 4 Coil Burners
- 5.0 cu.ft. Oven capacity
- Self-clean oven
- Removable full-width storage drawer



● Black ● Stainless Steel ● White

DIMENSIONS (CM)

H 121.3 W 76.0 D 70.0

UNITS PER CONTAINER (40HQ)

84

MODELS

EML535NNF	Terminal block	220-240V 50-60Hz
EML535NXF	Terminal block	220-240V 50-60Hz
EML535BBF	Terminal block	220-240V 50-60Hz

MANUFACTURING SITE

MEXICO

mabe

Commercial capacity	76 cm / 30 in
Color	Black with Stainless Steel / White
Type	Electric
Volts Hertz	230V 50-60Hz
Plug	Terminal block
Certification	SASO/GMARK
CONTROLS	
Control	Yes
Control type	Tactile
High / low broil	N/A
Convection bake	No
Convection roast	No
Audible pre-heat signal	Yes
Auto oven shutoff	Yes
Delayed start	No
Oven temperature display	Digitemp
Indicator lights (total)	1
5th warming zone control	No
COOKTOP	
Number of burners	2 (1500 W) + 2 (2600 W)
Ignition	Electronic
Burner type	Coil
Glass cooktop cover / backsplash	Backsplash
OVEN	
Total capacity (l / cu.ft.)	141.6 l / 5 cu. ft.
Oven ignition	Electronic
Oven racks	2 Flat nickel
Broiler in oven	No
Auto self-clean	No
Oven window	Standard / Panoramic glass
Timer	Yes
DRAWER	
Storage drawer / warming drawer	Storage Drawer

Commercial capacity	141.6 l / 5 cu.ft
Color	Black / Stainless Steel / White
Type	Electric
Volts Hertz	230V 50-60Hz
Plug	Terminal block
Certification	SASO/GMARK
CONTROLS	
Control	Yes
Control type	Tactile
High / low broil	Low
Convection bake	No
Convection roast	No
Audible pre-heat signal	Yes
Auto oven shutoff	Yes
Delayed start	Yes
Oven temperature display	Digitemp
Indicator lights (total)	2
5th warming zone control	No
COOKTOP	
Number of burners	4
Ignition	Electronic
Burner type	Coil
Glass cooktop cover / backsplash	Backsplash
OVEN	
Total capacity (l / cu.ft.)	141.6 l / 5 cu. ft.
Oven ignition	Electronic
Oven racks	2 chrome
Broiler in oven	No
Auto self-clean	Yes
Oven window	Panoramic
Timer	Yes
DRAWER	
Storage drawer / warming drawer	Storage Drawer

*Pictures for reference. Characteristics and images may vary without previous notice.

*Pictures for reference. Characteristics and images may vary without previous notice.

New Generation

Cooking

Free Standing Electric Range 76 cm

- 4 Radiant burners
- 12" Dual element
- 5.0 cu.ft. Oven capacity
- Self-clean oven
- Fast preheat
- Storage drawer capacity



EML735

141.6 l / 5 cu.ft. commercial capacity



● Black ● Black with Stainless Steel ● White

DIMENSIONS (CM)

H 121.3 W 76.0 D 70.0

UNITS PER CONTAINER (40HQ)

84

MODELS

EML735NNF	Terminal block	220-240V 50-60Hz
EML735NXF	Terminal block	220-240V 50-60Hz
EML735BBF	Terminal block	220-240V 50-60Hz

MANUFACTURING SITE

MEXICO

mabe

Commercial capacity	141.6 l / 5 cu.ft
Color	Black / Black with Stainless Steel / White
Type	Electric
Volts Hertz	230V 50-60Hz
Plug	Terminal block
Certification	SASO/GMARK

CONTROLS

Control	Yes
Control type	Tactile
High / low broil	Low
Convection bake	No
Convection roast	No
Audible pre-heat signal	Yes
Auto oven shutoff	Yes
Delayed start	Yes
Oven temperature display	Digitemp
Indicator lights (total)	2
5th warming zone control	No

COOKTOP

Number of burners	4
Ignition	Electronic
Burner type	Radiant
Glass cooktop cover / backsplash	Backsplash

OVEN

Total capacity (l / cu.ft.)	141.6 l / 5 cu. ft.
Oven ignition	Electronic
Oven racks	2 chrome
Broiler in oven	No
Auto self-clean	Yes
Oven window	Panoramic
Timer	Yes

DRAWER

Storage drawer / warming drawer	Storage Drawer
---------------------------------	----------------

*Pictures for reference. Characteristics and images may vary without previous notice.

EML835

141.6 l / 5 cu.ft. commercial capacity



New Generation

Cooking

Free Standing Electric Range 76 cm

- 5 Radiant burners
- Electronic ignition
- Self-clean oven
- Tactile controls & fast preheat
- Panoramic window
- True convection air
- Storage drawer



● Black with Stainless Steel ● White

DIMENSIONS (CM)

H 121.3 W 76.0 D 70.0

UNITS PER CONTAINER (40HQ)

84

MODELS

EML835NXF	Terminal block	220-240V 50-60Hz
EML835BBF	Terminal block	220-240V 50-60Hz

MANUFACTURING SITE

MEXICO

mabe

Commercial capacity	141.6 l / 5 cu.ft
Color	Black with Stainless Steel / White
Type	Electric
Volts Hertz	230V 50-60Hz
Plug	Terminal block
Certification	SASO/GMARK

CONTROLS

Control	Yes
Control type	Tactile
High / low broil	Low
Convection bake	Yes
Convection roast	Yes
Audible pre-heat signal	Yes
Auto oven shutoff	Yes
Delayed start	Yes
Oven temperature display	Digitemp
Indicator lights (total)	3
5th warming zone control	Infinite

COOKTOP

Number of burners	5
Ignition	Electronic
Burner type	Radiant
Glass cooktop cover / backsplash	Backsplash

OVEN

Total capacity (l / cu.ft.)	141.6 l / 5 cu. ft.
Oven ignition	Electronic
Oven racks	2 chrome
Broiler in oven	No
Auto self-clean	Yes
Oven window	Panoramic
Timer	Yes

DRAWER

Storage drawer / warming drawer	Storage Drawer
---------------------------------	----------------

*Pictures for reference. Characteristics and images may vary without previous notice.

INGENIOUS763

76 cm / 30 in commercial capacity

INGENIOUS762

76 cm / 30 in commercial capacity

Cooking

Free Standing Gas Range 76 cm

- Glass lid
- Stainless Steel cooktop surface
- Cast iron grates
- Triple ring
- Electronic ignition burners
- Thermally controlled oven
- Electronic ignition oven
- Grill a Gas
- Lower broiler drawer



Cooking

Free Standing Gas Range 76 cm

- Glass lid
- Stainless Steel cooktop surface
- Cast iron grates
- Electronic ignition burners
- Thermally controlled oven
- Electronic ignition oven
- Grill a Gas



● Stainless Steel

● Stainless Steel

DIMENSIONS (CM)

H 94.5 W 76.0 D 55.6

UNITS PER CONTAINER (40HQ)

84

MODELS

INGENIOUS 763MX0 North American plug 220V 60-50Hz

MANUFACTURING SITE

ECUADOR

Commercial capacity	76 cm / 30 in
Color	Stainless Steel
Type	LP Gas
Certification	INEN 2 259: 2000

CONTROLS

Knobs	6
Ignition	Electronic button
Burner type	1 (9857 BTU)4 (8530 BTU) + 2 (6824 BTU)
Grates	3 Cast iron
Glass lid / backsplash	Glass lid
Comal	Yes, non stick

OVEN

Total capacity (l / cu.ft.)	109.8 l / 3.9 cu.ft.
Oven ignition	Electronic
Oven racks	2
High / low broiler	High / Low
Auto self-clean	Continuous cleaning
Oven window	Panoramic
Timer	No
Oven light	Yes

Commercial capacity	76 cm / 30 in
Color	Stainless Steel
Type	LP Gas
Certification	INEN 2 259: 2000

CONTROLS

Knobs	6
Ignition	Electronic button
Burner type	1 (9857 BTU)4 (8530 BTU) + 2 (6824 BTU)
Grates	3 Cast iron
Glass lid / backsplash	Glass lid
Comal	Yes, non stick

OVEN

Total capacity (l / cu.ft.)	109.8 l / 3.9 cu.ft.
Oven ignition	Electronic
Oven racks	2
High / low broiler	N/A
Auto self-clean	Continuous cleaning
Oven window	Panoramic
Timer	No
Oven light	Yes

DIMENSIONS (CM)

H 94.5 W 76.0 D 55.6

UNITS PER CONTAINER (40HQ)

84

MODELS

INGENIOUS 764MX0 North American plug 220V 60-50Hz

MANUFACTURING SITE

ECUADOR

INGENIOUS761

76 cm / 30 in commercial capacity

INGENIOUS760

76 cm / 30 in commercial capacity

Cooking

Free Standing Gas Range 76 cm

- Glass lid
- Stainless Steel cooktop surface
- Wire grates
- Electronic ignition burners
- Thermally controlled oven
- Electronic ignition oven
- Grill a Gas
- Lower broiler drawer



● Stainless Steel ● White

DIMENSIONS (CM)

H 94.5 W 76.0 D 55.6

UNITS PER CONTAINER (40HQ)

84

MODELS

INGENIOUS 761MB	North American plug	220V 60-50Hz
INGENIOUS 761MX	North American plug	220V 60-50Hz

MANUFACTURING SITE

ECUADOR

Commercial capacity	76 cm / 30 in
Color	Stainless Steel / White
Type	LP Gas
Certification	INEN 2 259: 2000

CONTROLS

Knobs	7
Ignition	Electronic button
Burner type	4 (6824 BTU) + 2 (8530 BTU)
Grates	3 Wire
Glass lid / backsplash	Glass lid
Comal	Yes, non stick

OVEN

Total capacity (l / cu.ft.)	109.8 l / 3.9 cu.ft.
Oven ignition	Electronic
Oven racks	1
High / low broiler	High / Low
Auto self-clean	Continuous cleaning
Oven window	Panoramic
Timer	No
Oven light	Yes

Cooking

Free Standing Gas Range 76 cm

- Glass lid
- Stainless Steel cooktop surface
- Wire grates
- Electronic ignition burners
- Thermally controlled oven
- Electronic ignition oven
- Grill a Gas

● Silver ● White



Commercial capacity	76 cm / 30 in
Color	Stainless Steel / White
Type	LP Gas
Certification	INEN 2 259: 2000

CONTROLS

Knobs	7
Ignition	Electronic button
Burner type	4 (6824 BTU) + 2 (8530 BTU)
Grates	3 Wire
Glass lid / backsplash	Glass lid
Comal	No

OVEN

Total capacity (l / cu.ft.)	109.8 l / 3.9 cu.ft.
Oven ignition	Electronic
Oven racks	1
High / low broiler	High
Auto self-clean	Continuous cleaning
Oven window	Panoramic
Timer	No
Oven light	Yes

DIMENSIONS (CM)

H 94.5 W 76.0 D 55.6

UNITS PER CONTAINER (40HQ)

84

MODELS

INGENIOUS 760MB	North American plug	220V 60-50Hz
INGENIOUS 760MG	North American plug	220V 60-50Hz

MANUFACTURING SITE

ECUADOR

mabe

Cooling

Cooling

Side By Side 30 cu.ft.

- Refreshment center
- Custom Cool technology system
- Precise fill
- External controls
- LED light
- Ice and water dispenser



● Stainless Steel ● White

DIMENSIONS (CM)

H 175.9 W 90.9 D 91.5

UNITS PER CONTAINER (40HQ)

24

MODELS

MEM30VHDCSS	Schuko plug	220V 50-60Hz
MEM30VHDCWW	Schuko plug	220V 50-60Hz

MANUFACTURING SITE

MEXICO

mabe

MEM30VH

840 l /30 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	840 l /30 cu.ft.
Certification	ISO / IEC
Energy Class	A+
Refrigerant	R134
Climate Class	T
Controls	External
Functions	Temperature sensors / turbo cool / Child Lock / energy saver / precised fill / custom cool / quick ice / Door alarm
Water dispenser	Yes
Water filter	Yes
Refreshment center	Yes
Ice dispenser	Yes
FRESH FOOD COMPARTMENT	
Cooling system	Long tower
Shelves	3 adjustable
Vegetable crisper	1
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	Yes and custom cool drawer
Door bins	3
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	2 adjustable
Baskets	4
Drawers	No
Door bins	3 adjustable
Ice factory	Yes

*Pictures for reference. Characteristics and images may vary without previous notice.

MEM30PH

840 l /30 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	840 l /30 cu.ft.
Certification	ISO / IEC
Energy Class	A
Refrigerant	R134
Climate Class	T
Controls	External
Functions	Temperature Control / Water / Crushed / Cubed / Door Alarm / Light / Control lock
Water dispenser	Yes
Water filter	Yes
Refreshment center	Yes
Ice dispenser	Yes
FRESH FOOD COMPARTMENT	
Cooling system	Short tower
Shelves	3 adjustable
Vegetable crisper	2
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	1
Door bins	3
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	2
Baskets	3
Drawers	No
Door bins	3 adjustable
Ice factory	Yes

*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

Side By Side 30 cu.ft.

- Ice and water dispenser
- Refreshment center
- External controls
- LED light



● Stainless Steel ● White

DIMENSIONS (CM)

H 175.9 W 90.9 D 91.5

UNITS PER CONTAINER (40HQ)

24

MODELS

MEM30PHHCSS	Schuko plug	220V 50-60Hz
MEM30PHHCWW	Schuko plug	220V 50-60Hz

MANUFACTURING SITE

MEXICO

mabe

Cooling

Side By Side 30 cu.ft.

- Inverter Technology
- A+ Energy efficiency
- Custom Cool technology system
- R600a refrigerant
- Precise fill
- External controls
- Water and ice dispenser
- Full LED lighting



● Stainless Steel

DIMENSIONS (CM)

H 175.9 W 90.8 D 91.5

UNITS PER CONTAINER (40HQ)

24

MODELS

ORE30VGHCSS Schuko plug 220-240V
50-60 Hz

MANUFACTURING SITE

MEXICO

mabe

ORE30VG

840 l / 30 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	840 l / 30 cu.ft.
Certification	CE / IEC
Energy Class	A+
Refrigerant	R600
Climate Class	T
Controls	External
Functions	Temperature sensors / turbo cool / Child Lock / energy saver / precised fill / custom cool / quick ice / Door alarm
Water dispenser	Yes
Water filter	Yes
Refreshment center	No
Ice dispenser	Yes

FRESH FOOD COMPARTMENT

Cooling system	Long Tower
Shelves	3 adjustable
Vegetable crisper	1
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	Yes and custom cool drawer
Door bins	4
Beverage can rack	Yes

FREEZER COMPARTMENT

Shelves	2 adjustable
Baskets	4
Drawers	No
Door bins	4
Ice factory	Yes

*Pictures for reference. Characteristics and images may vary without previous notice.

MEM28VG

716 l / 28 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	716 l / 28 cu.ft.
Certification	ISO / IEC
Energy Class	A+
Refrigerant	R134
Climate Class	T
Controls	External
Functions	Temperature sensors / Turbo cool / Child Lock / Energy saver / Precised fill / Custom cool / Quick ice / Door alarm
Water dispenser	Yes
Water filter	Yes
Refreshment center	No
Ice dispenser	Yes

FRESH FOOD COMPARTMENT

Cooling system	Long tower
Shelves	3 adjustable
Vegetable crisper	1
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	Yes and custom cool drawer
Door bins	4
Beverage can rack	Yes

FREEZER COMPARTMENT

Shelves	2 adjustable
Baskets	4
Drawers	No
Door bins	4
Ice factory	Yes

*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

Side By Side 28 cu.ft.

- Custom Cool technology system
- Precise fill
- External controls
- Ice and water dispenser
- LED light

● Stainless Steel ● White

DIMENSIONS (CM)

H 175.9 W 90.9 D 88.9

UNITS PER CONTAINER (40HQ)

24

MODELS

MEM28VGHCSS Schuko plug 220V
50-60Hz

MANUFACTURING SITE

MEXICO

mabe

Cooling

Side By Side 24 cu.ft.

- R600a refrigerant
- Ice and water dispenser
- Refreshment center
- External controls
- Custom Cool technology system
- Precise fill
- LED light



● Stainless Steel ● White

DIMENSIONS (CM)

H 175.9 W 90.1 D 72

UNITS PER CONTAINER (40HQ)

28

MODELS

MRE24VHFFSS Schuko plug 220-240V 50-60Hz

MRE24VHFFWW Schuko plug 220-240V 50-60Hz

MANUFACTURING SITE

MEXICO

*Check product availability with your sales executive

mabe

MRE24VH

666 l / 24 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	666 l / 24 cu.ft.
Certification	IEC
Energy Class	A
Refrigerant	R600
Climate Class	T
Controls	External
Functions	Temperature sensors / turbo cool / Child Lock / energy saver / precised fill / custom cool / quick ice / Door alarm
Water dispenser	Yes
Water filter	Yes
Refreshment center	Yes
Ice dispenser	Yes
FRESH FOOD COMPARTMENT	
Cooling system	Long Tower
Shelves	4 adjustable
Vegetable crisper	1
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	Yes and custom cool drawer
Door bins	3
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	2
Baskets	4
Drawers	No
Door bins	4
Ice factory	Yes

*Pictures for reference. Characteristics and images may vary without previous notice.

ORE24CH

666 l / 24 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	666 l / 24 cu.ft.
Certification	CE / IEC
Energy Class	A+
Refrigerant	R600
Climate Class	T
Controls	External
Functions	Temperature Control / Water / Crushed / Cubed / Door Alarm / Light / Control lock /
Water dispenser	Yes
Water filter	Yes
Refreshment center	Yes
Ice dispenser	Yes
FRESH FOOD COMPARTMENT	
Cooling system	Short Tower
Shelves	3
Vegetable crisper	2
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	No
Door bins	3 adjustable
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	3
Baskets	2
Drawers	0
Door bins	4 adjustable
Ice factory	Yes

*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

Side By Side 24 cu.ft.

- Inverter Technology
- A+ Energy efficiency
- Refreshment center
- External controls
- Ice and water dispenser
- R600a refrigerant
- LED light



● Stainless Steel ● White

DIMENSIONS (CM)

H 176.6 W 90.8 D 73.0

UNITS PER CONTAINER (40HQ)

28

MODELS

ORE24CHFFSS Schuko plug 220-240V 50-60 Hz

ORE24CHFFWW Schuko plug 220-240V 50-60 Hz

MANUFACTURING SITE

MEXICO

mabe

Cooling

Top Mount No Frost 19 cu.ft

- Smart Fill Ice Factory
- Express chill zone
- External LED controls



● Stainless Steel ● White

DIMENSIONS (CM)

H 187.8 W 74.33 D 72.2

UNITS PER CONTAINER (40HQ)

56

MODELS

RMS1951ZCHX Schuko plug 220V 50Hz

RMS1951ZINB Schuko plug 220V 50Hz

MANUFACTURING SITE

MEXICO

RMS1951Z

510 l / 19 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	510 l / 19 cu.ft.
Certification	China / IEC
Energy Class	A
Refrigerant	R134
Climate Class	T
Controls	External
Functions	Temperature control / Express Chill / Child Lock / Vacations / Door alarm / Smart Fill Ice Factory
Water dispenser	No
Water filter	No
Refreshment center	Yes
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	Smart Fresh
Shelves	2 adjustable
Vegetable crisper	1
Vegetable crisper lid	1
Meat / deli pan	Yes
Door bins	4
Beverage can rack	Smart Station (Home Bar)
FREEZER COMPARTMENT	
Shelves	2
Baskets	0
Drawers	Express Chill Zone
Door bins	2
Ice factory	Yes

RMS1951B

510 l / 19 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	510 l / 19 cu.ft.
Certification	IEC
Energy Class	B
Refrigerant	R134
Climate Class	T
Controls	External
Functions	Temperature control / Child Lock / Vacations / Door alarm / Smart Fill Ice Factory
Water dispenser	Yes
Water filter	No
Refreshment center	No
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	Smart Fresh
Shelves	2 adjustable
Vegetable crisper	1
Vegetable crisper lid	1
Meat / deli pan	Yes
Door bins	4
Beverage can rack	Water Dispenser
FREEZER COMPARTMENT	
Shelves	1
Baskets	0
Drawers	0
Door bins	2
Ice factory	Yes

Cooling

Top Mount No Frost 19 cu.ft.

- Water dispenser
- Smart Fill Ice Factory
- External LED controls



● Stainless Steel

DIMENSIONS (CM)

H 187.8 W 74.33 D 72.2

UNITS PER CONTAINER (40HQ)

56

MODELS

RMS1951BCHX Schuko plug 220V 50Hz

MANUFACTURING SITE

mabe

*Pictures for reference. Characteristics and images may vary without previous notice.

*Pictures for reference. Characteristics and images may vary without previous notice.

mabe

Cooling

Top Mount No Frost 19 cu.ft.

- Glass model
- A+ Energy efficiency
- R600a refrigerant
- External glass touch controls
- Smart Fill Ice Factory
- LED Light



● Black glass

DIMENSIONS (CM)

H 186.5 W 74.7 D 78.7

UNITS PER CONTAINER (40HQ)

56

MODELS

IOMFD51ZEUN Schuko plug 220V 50Hz

MANUFACTURING SITE

MEXICO

mabe

IOMFD51Z

510 l / 19 cu.ft commercial capacity



Commercial capacity (l / cu.ft.)	510 l / 19 cu.ft.
Certification	CE / IEC
Energy Class	A+
Refrigerant	R600
Climate Class	T
Controls	External
Functions	Temperature / Vacations / Kid secure
Water dispenser	No
Water filter	No
Refreshment center	No
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	Smart Fresh
Shelves	2
Vegetable crisper	1
Vegetable crisper lid	Yes, tempered glass
Meat / deli pan	Yes
Door bins	4
Beverage can rack	No
FREEZER COMPARTMENT	
Shelves	2
Baskets	0
Drawers	0
Door bins	2
Ice factory	Yes

*Pictures for reference. Characteristics and images may vary without previous notice.

ROSFD40X

400 l / 15 cu.ft. commercial capacity



Cooling

Top Mount No Frost 15 cu.ft.

- A+ Energy efficiency
- R600 refrigerant
- Internal controls
- Smart Fill Ice Factory
- LED light



● Stainless Steel

DIMENSIONS (CM)

H 187.3 W 66.5 D 72.2

UNITS PER CONTAINER (40HQ)

63

MODELS

ROSFD40XEUX Schuko plug 220V 50Hz

MANUFACTURING SITE

MEXICO

mabe

*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

Top Mount No Frost 21 cu.ft.

- R134a refrigerant
- Internal controls
- Reversible door
- Automatic defrost
- Interior air flow
- Humidity control



● White ● Stainless Steel

DIMENSIONS (CM)

H 168.1 W 83.4 D 82.0

UNITS PER CONTAINER (40HQ)

40

MODELS

RMI2160XSAB UK plug 220V 60Hz

RMI2160XSAX UK plug 220V 60Hz

MANUFACTURING SITE

CHINA

mabe

RMI2160X

595 l / 21 cu.ft. commercial capacity



Commercial capacity (l / cu.ft.)	595 l / 21 cu.ft.
Certification	SASO
Energy Class	SASO
Refrigerant	R134
Climate Class	T
Controls	Internal
Functions	Manual
Water dispenser	No
Water filter	No
Refreshment center	No
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	No Frost
Shelves	2
Vegetable crisper	2
Vegetable crisper lid	No
Meat / deli pan	No
Door bins	3
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	1 wire
Baskets	No
Drawers	No
Door bins	2
Ice factory	No

RME1436V

360 l / 14 cu.ft. commercial capacity



- Internal controls
- Great Space
- Energy saving



● Platinum ● White

DIMENSIONS (CM)

H 175.4 W 68.0 D 70.6

UNITS PER CONTAINER (40HQ)

63

MODELS

RME1436VAPE Schuko plug 220V 50Hz

MANUFACTURING SITE

MEXICO

*Check product availability with your sales executive

mabe

mabe

*Pictures for reference. Characteristics and images may vary without previous notice.

*Pictures for reference. Characteristics and images may vary without previous notice.

Cooling

Top Mount No Frost 19 cu.ft.

- Internal controls
- Energy saving
- Great space

RMT1951V

510 l / 19 cu.ft. commercial capacity



● Platinum

DIMENSIONS (CM)

H 187.8 W 74.3 D 77.7

UNITS PER CONTAINER (40HQ)

56

MODELS

RMT1951VAPE / RMT1951VRUS Schuko plug 220V 50Hz

MANUFACTURING SITE

MEXICO

*Check product availability with your sales executive

Commercial capacity (l / cu.ft.)	510 l / 19 cu.ft.
Certification	Uruguay
Energy Class	NA
Refrigerant	R134
Climate Class	T
Controls	Internal
Functions	Temperature control
Water dispenser	No
Water filter	No
Refreshment center	No
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	Smart Fresh
Shelves	2
Vegetable crisper	Yes
Vegetable crisper lid	Glass
Meat / deli pan	No
Door bins	3
Beverage can rack	No
FREEZER COMPARTMENT	
Shelves	1
Baskets	0
Drawers	0
Door bins	1
Ice factory	No

RMI1851X

510 l / 18 cu.ft. commercial capacity



● White ● Stainless Steel

DIMENSIONS (CM)

H 169.2 W 75.0 D 78.5

UNITS PER CONTAINER (40HQ)

61

MODELS

RMI1851XSAB UK plug 220V 60Hz

RMI1851XSAX UK plug 220V 60Hz

MANUFACTURING SITE

CHINA

Commercial capacity (l / cu.ft.)	510 l / 18 cu.ft.
Certification	SASO
Energy Class	SASO
Refrigerant	R134
Climate Class	T
Controls	Internal
Functions	Manual
Water dispenser	No
Water filter	No
Refreshment center	No
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	No Frost
Shelves	2
Vegetable crisper	2
Vegetable crisper lid	No
Meat / deli pan	No
Door bins	3
Beverage can rack	Yes
FREEZER COMPARTMENT	
Shelves	1 wire
Baskets	No
Drawers	No
Door bins	2
Ice factory	No

Cooling

Top Mount No Frost 18 cu.ft.

- R134a refrigerant
- Automatic defrost
- Internal controls
- Interior air flow
- Reversible door
- Humidity control



Cooling

Top Mount Defrost 9 cu.ft.

- R600a Refrigerant
- Internal Controls
- Flush back design
- Reversible door
- Adjustable leg
- Mechanical temperature control
- Manual defrosting
- Freezer compartment



● Silver ● White

RMC275NE

262 l / 9.3 cu.ft. commercial capacity



RMC215NE

207 l / 7.3 cu.ft. commercial capacity



Cooling

Top Mount Defrost 7.3 cu.ft.

- R600a Refrigerant
- Internal controls
- Flush back design
- Reversible door
- Adjustable leg

● Silver ● White

DIMENSIONS (CM)

H 165.0 W 55.0 D 57.5

UNITS PER CONTAINER (40HQ)

104

MODELS

RMC275NESY	Schuko plug	220V 50Hz
RMC275NEWWY	Schuko plug	220V 50Hz

MANUFACTURING SITE

CHINA

Commercial capacity (l / cu.ft.)	262 l / 9.3 cu.ft.
Refrigerant	R600a
Climate Class	ST
Controls	Internal
Functions	N/A
Water dispenser	No
Water filter	No
Refreshment center	No
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	Defrost
Shelves	3, Wire
Vegetable crisper	1
Vegetable crisper lid	Yes, Glass
Meat / deli pan	No
Door bins	3
Beverage can rack	No
FREEZER COMPARTMENT	
Shelves	1, Wire
Baskets	No
Drawers	No
Door bins	No
Ice factory	No

Commercial capacity (l / cu.ft.)	207 l / 7.3 cu.ft.
Refrigerant	R600a
Climate Class	T
Controls	Internal
Functions	N/A
Water dispenser	No
Water filter	No
Refreshment center	No
Ice dispenser	No
FRESH FOOD COMPARTMENT	
Cooling system	Defrost
Shelves	2, Wire
Vegetable crisper	1
Vegetable crisper lid	Yes, Glass
Meat / deli pan	No
Door bins	3
Beverage can rack	No
FREEZER COMPARTMENT	
Shelves	1, Wire
Baskets	No
Drawers	No
Door bins	No
Ice factory	No

DIMENSIONS (CM)

H 143.0 W 55.0 D 55.0

UNITS PER CONTAINER (40HQ)

144

MODELS

RMC215NESY	Schuko plug	220V 50Hz
RMC215NEWWY	Schuko plug	220V 50Hz

MANUFACTURING SITE

CHINA

mabe

When your home works,
everything works.

www.mabeinternational.com